

Index of Issues: July, pp. 1-126; August, pp. 127-242; September, pp. 243-350; October, pp. 351-466; November, pp. 467-574; December, pp. 575-764. The September Supplement, pp. A1-A636, is not included in this index. The index for that issue had been provided in the back of the Supplement itself.

SUBJECT INDEX TO VOLUME 63

Subject entries for all materials in the JOURNAL appear in this index. Entries from the JOURNAL departments are identified by the departments in which the subject matter appears, e.g., Clinical Reports.

A

Abdominal surgery, See under Surgery

Achondroplastic dwarf

air embolism in (CR) [Katz & Mayhew], 205

Adenosine triphosphate, See under Anesthetic techniques, induced hypotension

Adrenal hormones, See under Hormones

Age factors

effects of, on dose-response curves for vecuronium in adults (CR) [O'Hara, Fragen & Shanks], 542

Air embolism, See under Complications; Embolism

Airway

anatomy

and anesthetic considerations in cri du chat syndrome (CR) [Yamashita, Tanioka, Taniguchi, Matsuki & Oyama], 201

obstruction

after bilateral carotid endarterectomy (CR) [Levelle & Martinez], 220

with esophageal monitors in double aortic arch (CO) [Moorthy, Haselby & Stein], 465

tracheostomy

pediatric face mask as useful aid in lung ventilation in (CO) [Aghdami, Ellis & Rah], 335

Alarms, See under Equipment

Alcohol

withdrawal, regional blood flow and cerebral metabolic changes during (OA) [Newman, Hoffman, Miletich & Albrecht], 395

Allergy

anaphylaxis

and histamine release by barbiturate induction agents (EV) [Lorenz & Doenicke], 351

Alpha-adrenergic receptors, See under Receptors; Sympathetic nervous system

American Board of Anesthesiology, See under Organizations

Aminophylline, See under Pharmacology

Analgesia

postoperative

and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20

Analgesics

butorphanol

and biliary spasm (CO) [Dolan], 340

meperidine

distribution of, after intrathecal administration in rat and mouse (OA) [Gustafsson, Post, Edvardsen & Ramsay], 483

morphine

distribution of, after intrathecal administration in rat and mouse (OA) [Gustafsson, Post, Edvardsen & Ramsay], 483

epidural

depresses nociceptive flexion reflexes in postoperative pain (OA) [Willer, Bergeret & Gaudy], 675

and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20

narcotic

hydromorphone

accidental epidural overdose of (CO) [Moon & Clements], 238

sufentanil

do benefits justify the cost? (CO) [Aldrete], 565

influence of, on cerebral metabolism and circulation in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274

Analyzers, See under Equipment

Anaphylaxis, See under Allergy; Complications

Anesthesia

cardiac

computer assisted fentanyl in (OA) [Alvis, Reves, Govier, Menkhaus, Henling, Spain & Bradley], 41

in hypokalemic familial periodic paralysis (CR) [Rollman & Dickson], 526

management of patients with protamine hypersensitivity during (CO) [Jackson, Wuerflein & Gerbo], 120

cardiovascular

detection of air emboli in left heart by M-mode transesophageal echocardiography following (CR) [Oka, Moriaki, Hong, Chuculate, Strom, Andrews & Frater], 109

extracorporeal circulation in patient with heparin-induced thrombocytopenia (CO) [Ellison, Kappa, Fisher & Addonizio], 336

in ischemic myocardial dysfunction in presence of coronary stenosis in dogs (OA) [Buffington], 651

cesarean section

epidural fentanyl for postcesarean delivery pain management (CR) [Naulty, Datta, Ostheimer, Johnson & Burger], 694

computer assisted

cardiac, fentanyl during (OA) [Alvis, Reves, Govier, Menkhaus, Henling, Spain & Bradley], 41

depth

and acceptability of awareness during surgery (CO) [Aldrete & Wright], 460

emergency

drug security for (CO) [Bready, Orr, & Mote], 225

induction agents, See under Induction

and measurement of functional residual capacity by sulfur hexafluoride washout (LR) [Jonmaker, Jansson, Jonson, Larsson & Werner], 89

neurosurgical

cerebral venous sinus pressure in seated dogs during (OA) [Hibino & Matsuura], 184

- isoflurane for, increases in intracranial pressure and (CR) [Gross-light, Foster, Colohan & Bedford], 533
- ¹³³Xenon for regional cerebral blood flow measurement during halothane, enflurane, and isoflurane anesthesia (OA) [Eintrei, Leszniewski & Carlsson], 391
- obstetric**
- bupivacaine toxicity in (OA) [Morishima, Pedersen, Finster, Hirakawa, Tsuji, Feldman, Arthur & Covino], 134
- for cesarean section, benign intracranial hypertension and (CR) [Abouleish, Ali & Tang], 705
- and ephedrine, placental transfer of, does not affect neonatal outcome (CR) [Hughes, Ward, Levinson, Shnider, Wright, Gruenke & Craig], 217
- epidural fentanyl for postcesarean delivery pain management (CR) [Naulty, Datta, Ostheimer, Johnson & Burger], 694
- nitroglycerin in prevention of hypertensive response to tracheal intubation in severe preeclampsia (CR) [Hood, Dewan, James, Floyd & Bogard], 329
- peripartum cardiomyopathy presenting at cesarean delivery (CR) [Malinow, Butterworth, Johnson, Safon, Rein, Hartwell, Datta, Lind & Ostheimer], 545
- in spondylometaphyseal dysplasia (CR) [Benson, Dozier, Goto & Arakawa], 548
- ophthalmologic**
- and open eye injuries (CO) [Bourke], 727
- unilateral retrobulbar block, bilateral amaurosis following (CO) [Follette & LoCascio], 237
- outpatient**
- for aspiration pneumonitis prophylaxis, Bicitra® and metoclopramide in (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378
- in malignancies, comparison of enflurane, halothane, and isoflurane for diagnostic and therapeutic procedures in (OA) [Fisher, Robinson, Brett, Perin & Gregory], 647
- pediatric**
- cardiovascular and pharmacodynamic effects of high-dose fentanyl in (OA) [Schieber, Stiller & Cook], 166
- fatal intraoperative tumor embolism in child with hepatoblastoma (CR) [Dorman, Sumner & Spitz], 692
- gas embolism produced by hydrogen peroxide irrigation during (CR) [Tsai, Lee & Mok], 316
- and Lesch-Nyhan syndrome (CR) [Larson & Wilkins], 197
- in malignancies, comparison of enflurane, halothane, and isoflurane for diagnostic and therapeutic procedures in (OA) [Fisher, Robinson, Brett, Perin & Gregory], 647
- naloxone reversal of postoperative apnea in (CR) [Beilin, Vatahsky, Aronson & Weinstock], 317
- preanesthetic sedation for, intramuscular midazolam for, double-blind controlled study of (CR) [Rita, Seleny, Mazurek & Rabins], 528
- question of general anesthesia triggering SIDS (CR) [Steward], 326
- respiratory monitoring for, during radiation therapy (CO) [Glaser & Fisher], 123
- two-stage fiberoptic nasotracheal intubation in (CR) [Berthelsen, Prytz & Jacobsen], 457
- records**
- computerized, may have drawbacks (CO) [Lees], 236
- computerized, may have drawbacks (CO) [Rosen & Rosenzweig], 237
- regional**
- mass spectrometer monitoring of patients with (CO) [Ibarra & Lees], 572
- surgical**
- local, introduction of (SA) [Fink], 77
- thoracic**
- and pulse oximetry during one-lung ventilation in (CR) [Brodsky, Shulman, Swan & Mark], 212
- Anesthesia machines, See under Equipment**
- Anesthesiology**
- correctly identifying sexes in (CO) [Kendig], 732
- correctly identifying sexes in (editorial comment on), 732
- road not yet taken (EV) [Rogers], 575
- Anesthetic potency, See under Potency, anesthetic**
- Anesthetic techniques**
- caudal**
- complicated by intraosseous injection in ankylosing spondylitis (CR) [Weber], 716
- epidural**
- accidental overdose of hydromorphone during (CO) [Moon & Clements], 238
- acute cardiac sympathectomy by, circulatory responses during (OA) [Takeshima & Dohi], 500
- caudal**
- pharmacokinetics of bupivacaine in children following (CR) [Ecoffey, Desparmet, Maury, Berdeaux, Giudicelli & Saint-Maurice], 447
- complicated by intraosseous injection in ankylosing spondylitis (CR) [Weber], 716
- and distribution of blood in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
- fentanyl**
- for postcesarean delivery pain management (CR) [Naulty, Datta, Ostheimer, Johnson & Burger], 694
- lidocaine in, ventilatory response to CO₂ following (OA) [Labaille, Clergue, Samii, Ecoffey & Berdeaux], 179
- morphine**
- differentiating interstitial fluid from cerebral spinal fluid during (CO) [Downey, Slater & Zeitlin], 120
- plasma concentrations of lidocaine and principal metabolites during (OA) [Inoue, Suganuma, Echizen, Ishizaki, Kushida & Tomono], 304
- prolonged**
- heel sores in association with (CO) [Pither, Hartrick & Raj], 459
- and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20
- subdural injection as complication of (CR) [Stevens & Stanton-Hicks], 323
- Anesthetic techniques**
- epidural**
- weakness of lower extremity following vaginal delivery under (CR) [Shin, Lee & Kim], 531
- epidural morphine**
- depresses nociceptive flexion reflexes in postoperative pain (OA) [Willer, Bergeret & Gaudy], 675
- hypotension, induced**
- sodium nitroprusside**
- hepatic plasma flow during (OA) [Chauvin, Bonnet, Montebault, Lafay, Curet & Viars], 287
- induced hypotension**
- ATP**
- myocardial hemodynamics during, comparison of agents in (OA) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517

- myocardial hemodynamics during, comparison of agents in (OA) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517
- nitroprusside**
myocardial hemodynamics during, comparison of agents in (OA) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517
- intercostal**
epidural block using large volumes of local anesthetic solution for (CR) [Middaugh, Menk, Reynolds, Bauman, Cawthon & Hartshorne], 214
and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20
- interscalene brachial plexus block**
persistent phrenic nerve paresis following (CR) [Bashein, Robertson & Kennedy], 102
- regional**
axillary block
with bupivacaine, ventilatory response to CO₂ following (OA) [Negre, Labaille, Samii & Noviant], 401
brain stem anesthesia following (CR) [Hamilton], 688
celiac plexus
chylothorax following (CR) [Fine & Bubela], 454
cervical
for bilateral carotid endarterectomy, airway obstruction after (CR) [Levelle & Martinez], 220
epidural block using local anesthetic solution for intercostal nerve block (CR) [Middaugh, Menk, Reynolds, Bauman, Cawthon & Hartshorne], 214
persistent phrenic nerve paresis following (CR) [Bashein, Robertson & Kennedy], 102
and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20
ultra-long-duration anesthesia produced by lecithin-coated methoxyflurane (OA) [Haynes & Kirkpatrick], 490
unilateral, bilateral amaurosis following (CO) [Follette & Lo-Cascio], 237
- retrobulbar**
brain stem anesthesia following (CR) [Hamilton], 688
unilateral, bilateral amaurosis following (CO) [Follette & Lo-Cascio], 237
- spinal**
with bupivacaine, local spinal cord blood flow and glucose utilization during (OA) [Crosby], 55
for cesarean section, benign intracranial hypertension and (CR) [Abouleish, Ali & Tang], 705
- narcotics**
distribution of, in rat and mouse (OA) [Gustafsson, Post, Edvardsen & Ramsay], 483
redistribution of lidocaine and bupivacaine after injection in mice (OA) [Post, Freedman, Ramsay & Bonnevier], 410
reduction of postlumbal puncture backache by (CO) [Peng, Behar & Blancato], 227
- Anesthetics**
gases
cyclopropane
augment oxidant-induced pulmonary vasoconstriction (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624
nitrous oxide
augment oxidant-induced pulmonary vasoconstriction (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624
cardiovascular actions of, in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
depression of brain stem reflex induced by failure of naloxone to reverse (OA) [Willer, Bergeret, Gaudy & Dauthier], 467
and health experiences of operating room personnel (CO) [Brodsky & Cohen], 461
and health experiences of operating room personnel (CO) [Mazze & Lecky], 463
and pentobarbital anesthesia, local cerebral glucose utilization during (OA) [Sakabe, Tsutsui, Maekawa, Ishikawa & Takeshita], 262
in study of regional blood flow and cerebral metabolic changes during alcohol withdrawal and following midazolam therapy (OA) [Newman, Hoffman, Miletich & Albrecht], 395
- intravenous**
barbiturates
anaphylactoid reactions and histamine release by (EV) [Lorenz & Doenicke], 351
continuous infusion
fentanyl during cardiac anesthesia (OA) [Alvis, Reves, Govier, Menkhaus, Henling, Spain & Bradley], 41
thiopental pharmacokinetics under (OA) [Turcant, Delhumeau, Premel-Cabic, Granry, Cottineau, Six & Allain], 50
- etomidate**
adrenocortical function following multiple inductions with (CO) [Ellis, Berberich, Ettigi & Kwentus], 571
cerebral functional, metabolic, and hemodynamic effects of, in dogs (OA) [Milde, Milde & Michenfelder], 371
- fentanyl**
acute tolerance to, during anesthesia in dogs (OA) [Askito-poulou, Whitwam, Al-Khudhairi, Chakrabarti, Bower & Hull], 255
computer-assisted continuous infusions of, during cardiac anesthesia (OA) [Alvis, Reves, Govier, Menkhaus, Henling, Spain & Bradley], 41
high-dose, in newborn piglets, cardiovascular and pharmacodynamic effects of (OA) [Schieber, Stiller & Cook], 166
-isoflurane flush (CO) [DesMarteau], 126
-pancuronium anesthesia, intravenous nitroglycerin during (CO) [Shapira & Gertel], 121
-pancuronium anesthesia, intravenous nitroglycerin during (CO) [Thomson, Mutch & Culligan], 122
- ketamine**
alterations in splenic lymphocyte subpopulations and increased mortality from sepsis following (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
stereoisomers, differential effects of, on maze performance in mouse (LR) [Garfield, Rocco & Naulty], 681
- methohexital**
histamine release induced by, in human skin mast cells (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353
- midazolam**
regional blood flow and cerebral metabolic changes following (OA) [Newman, Hoffman, Miletich & Albrecht], 395
stable concentrations of, effects of benzodiazepine antagonist Ro 15-1788 in presence of (OA) [Lauven, Schwilden, Stoessel & Greenblatt], 61
- pentobarbital**
alterations in splenic lymphocyte subpopulations and increased mortality from sepsis following (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
histamine release induced by, in human skin mast cells (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353

- and nitrous oxide anesthesia, local cerebral glucose utilization during (OA) [Sakabe, Tsutsui, Maekawa, Ishikawa & Takeshita], 262
- sufentanil**
acute respiratory arrest and rigidity after anesthesia with (CR) [Chang & Fish], 710
do benefits justify the cost? (CO) [Aldrete], 565
elevated levels of, in chronic renal failure (CR) [Wiggum, Cork, Weldon, Gandolfi & Perry], 708
influence of, on cerebral metabolism and circulation in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274
picogram levels of, detection of, by capillary gas chromatography (LR) [Weldon, Perry, Cork & Gandolfi], 684
postoperative rigidity following (CR) [Goldberg, Ishak, Garcia & McKenna], 199
- thiamylal**
histamine release induced by, in human skin mast cells (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353
- thiopental**
different effects of, in severe hypoxia, and low-flow ischemia (OA) [Ruijgrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172
high dose, effect of, on somatosensory evoked responses in humans (OA) [Drummond, Todd & Sang], 249
histamine release induced by, in human skin mast cells (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353
long-term infusion, pharmacokinetics under (OA) [Turcant, Delhumeau, Premel-Cabic, Granry, Cottineau, Six & Allain], 50
- THIP**
inducing anesthesia with (OA) [Cheng & Brunner], 147
- local**
bupivacaine
in children: pharmacokinetics following caudal anesthesia (CR) [Ecoffey, Desparmet, Maury, Berdeaux, Giudicelli & Saint-Maurice], 447
intrathecal, neurotoxicity of, in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
redistribution of, after intrathecal injection in mice (OA) [Post, Freedman, Ramsay & Bonnevier], 410
spinal anesthesia with, local spinal cord blood flow and glucose utilization during (OA) [Crosby], 55
toxicity and resuscitation in cats infused with (OA) [Chadwick], 385
toxicity in pregnant and nonpregnant ewes (OA) [Morishima, Pedersen, Finster, Hiraoka, Tsuji, Feldman, Arthur & Covino], 134
ventilatory response to CO₂ following axillary blockade with (OA) [Negre, Labaille, Samii & Noviant], 401
- 2-chloroprocaine**
intrathecal, neurotoxicity of, in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
- cocaine**
introduction of (SA) [Fink], 77
- and differential margin of safety of conduction in individual peripheral axons (OA) [Fink & Cairns], 65
- lidocaine**
acceleration of epinephrine absorption by (CR) [Veda, Hirakawa & Mori], 717
differential effect of nerve fiber structure on block by (OA) [Fink & Cairns], 157
and diffusion barriers about nerve (CO) [Fink & Cairns], 115
and diffusion barriers above nerve (CO) [Gissen], 114
intrathecal, neurotoxicity of, in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
intravenous and epidural, ventilatory response to CO₂ following (OA) [Labaille, Clergue, Samii, Ecoffey & Berdeaux], 179
in nebulized anesthesia for awake endotracheal intubation (CR) [Bourke, Katz & Tonneson], 690
plasma concentrations of, during intermittent epidural anesthesia (OA) [Inoue, Suganuma, Echizen, Ishizaki, Kushida & Tomono], 304
redistribution of, after intrathecal injection in mice (OA) [Post, Freedman, Ramsay & Bonnevier], 410
in study of circulatory responses during acute cardiac sympathectomy by epidural blockade in awake humans (OA) [Takeshima & Dohi], 500
toxicity and resuscitation in cats infused with (OA) [Chadwick], 385
- metabolites**
plasma concentrations of, during intermittent epidural anesthesia (OA) [Inoue, Suganuma, Echizen, Ishizaki, Kushida & Tomono], 304
- methoxyflurane**
lecithin-coated, ultra-long-duration local anesthesia produced by (OA) [Haynes & Kirkpatrick], 490
surgical, introduction of (SA) [Fink], 77
- tetracaine**
intrathecal, neurotoxicity of, in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
- scavenging**
and health experiences of operating room personnel (CO) [Brodsky & Cohen], 461
and health experiences of operating room personnel (CO) [Mazze & Lecky], 463
- volatile**
contamination
and chemistry of halothane-enflurane mixtures applied to anesthesia (OA) [Korman & Ritchie], 152
- enflurane**
alterations in splenic lymphocyte subpopulations and increased mortality from sepsis following (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
anticonvulsant actions of, on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
in comparative study, for diagnostic and therapeutic procedures in children with malignancies (OA) [Fisher, Robinson, Brett, Perin & Gregory], 647
-halothane mixtures, chemistry of, applied to anesthesia (OA) [Korman & Ritchie], 152
and hazards of mis-filled vaporizers: summary tables (CO) [Chilcoat], 726
local ¹³³Xenon for regional cerebral blood flow measurement during, in humans (OA) [Eintrei, Lesziewski & Carlsson], 391
neuromuscular effects of atracurium during anesthesia with in humans (OA) [Rupp, McChristian & Miller], 16
responses of recurrent laryngeal, hypoglossal, and phrenic nerves to increasing depths of (OA) [Nishino, Kohchi, Yonezawa & Honda], 404
in study of hepatitis following halothane (RA) [Stock & Strunin], 424
- halothane**
acceleration of epinephrine absorption by (CR) [Veda, Hirakawa & Mori], 717
alterations in splenic lymphocyte subpopulations and increased

- mortality from sepsis following (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
attenuates cardiopulmonary baroreflex control of peripheral resistance in humans (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668
augment oxidant-induced pulmonary vasoconstriction (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624
and cardiac alpha receptors and arrhythmias (EV) [Dresel], 582
cardiovascular actions of, in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
in comparative study, for diagnostic and therapeutic procedures in children with malignancies (OA) [Fisher, Robinson, Brett, Perin & Gregory], 647
dogs anesthetized with, alpha₁-adrenergic blockade raises epinephrine-arrhythmia threshold in (OA) [Maze, Hayward & Gaba], 611
effect of, on renal hemodynamics during normovolemia and acute hemorrhagic hypovolemia (OA) [Priano], 357
effect on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70
-enflurane mixtures, chemistry of, applied to anesthesia (OA) [Korman & Ritchie], 152
and hazards of mis-filled vaporizers: summary tables (CO) [Chilcoat], 726
laudanosine increases minimum alveolar concentration of (OA) [Shi, Fahey, Fisher, Miller, Canfell & Eger], 584
local ¹³³Xenon for regional cerebral blood flow measurement during, in humans (OA) [Eintrei, Leszniewski & Carlsson], 391
neuromuscular effects of atracurium during anesthesia with in humans (OA) [Rupp, McChristian & Miller], 16
platelet treatment with, in diagnostic test for malignant hyperthermia (LR) [Lee, Adragna & Edwards], 311
prolonged anesthesia with, cerebrovascular adaptation to, not related to cerebrospinal fluid pH (OA) [Warner, Boarini & Kassell], 243
responses of recurrent laryngeal, hypoglossal, and phrenic nerves to increasing depths of (OA) [Nishino, Kohchi, Yonezawa & Honda], 404
shivering following, inhibition by peripheral heating and by taurine (OA) [Murphy, Lipton, Loughran & Giesecke], 161
and succinylcholine, *in vitro* interaction between, in human skeletal muscle (LR) [Fletcher & Rosenberg], 190
unexplained hepatitis following (RA) [Stock & Strunin], 424
- isoflurane**
alterations in splenic lymphocyte subpopulations and increased mortality from sepsis following (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
in comparative study, for diagnostic and therapeutic procedures in children with malignancies (OA) [Fisher, Robinson, Brett, Perin & Gregory], 647
-fentanyl flush (CO) [DesMarteau], 126
fertility, reproduction, and postnatal survival in mice chronically exposed to (OA) [Mazze], 663
and hazards of mis-filled vaporizers: summary tables (CO) [Chilcoat], 726
local ¹³³Xenon for regional cerebral blood flow measurement during, in humans (OA) [Eintrei, Leszniewski & Carlsson], 391
for neuroanesthesia, intracranial pressure and (CR) [Grosslight, Foster, Colohan & Bedford], 533
in study of hepatitis following halothane (RA) [Stock & Strunin], 424
- methoxyflurane**
and hazards of mis-filled vaporizers: summary tables (CO) [Chilcoat], 726
lecithin-coated, ultra-long-duration local anesthesia produced by (OA) [Haynes & Kirkpatrick], 490
subanesthetic concentrations
fertility, reproduction, and postnatal survival in mice chronically exposed to (OA) [Mazze], 663
- Anhydrosis**
anesthetic management of congenital insensitivity to pain with (CR) [Mitaka, Tsunoda, Hikawa, Sakahira & Matsumoto], 328
- Ankylosing spondylitis, See under Complications**
- Announcement**
American Board of Anesthesiology, ABA critical care medical examination, 721
- Antacids, See under Gastrointestinal tract**
- Antagonists**
miscellaneous
benzodiazepines, Ro 15-1788
effects of, in presence of stable concentrations of midazolam (OA) [Lauven, Schwilden, Stoeckel & Greenblatt], 61
narcotic
naloxone
failure to reverse nitrous oxide-induced depression of brain stem reflex (OA) [Willer, Bergeret, Gaudy & Dauthier], 467
reversal of postoperative apnea in premature infant (CR) [Beilin, Vatahsky, Aronson & Weinstock], 317
- Antibiotics**
metronidazole
failure of, to alter vecuronium neuromuscular blockade (CR) [d'Hollander, Agoston, Capouet, Barvais, Bomblet & Eslesen], 99
- Anticoagulants, See under Blood**
- Anticonvulsant cerebral actions, See under Brain**
- Aorta, See under Arteries**
- Apnea, See under Complications; Ventilation**
- Apneic oxygenation, See under Ventilation**
- Arrhythmia, See under Complications; Heart**
- Arteries**
aorta
double arch of, airway obstruction with esophageal monitors in (CO) [Moorthy, Haselby & Stein], 465
infrarenal cross-clamping, and renal hemodynamics (CO) [Forster & Favre], 224
infrarenal cross-clamping, and renal hemodynamics (CO) [Gelman & Navar], 223
coronary
spasm
intraoperative, in young woman (CO) [Vitez], 567
stenosis of, hemodynamic determinants of ischemic myocardial dysfunction in (OA) [Buffington], 651
- Aspiration, See under Complications; Gastrointestinal tract**
- Association of American Medical Colleges (AAMC), See under Organizations**
- ATP, See under Anesthetic techniques, induced hypotension**
- Atracurium, See under Chemistry; Neuromuscular relaxants**
- Atropine, See under Premedication**
- Audioradiography See under Measurement techniques**
- Axillary block, See under Anesthetic techniques, regional**
- Axons, See under Nerve(s)**
- Azeotrope, See under Chemistry**

B

- Barbiturates, *See under* Anesthetics, intravenous; Hypnotics
- Baroreceptor reflexes, *See under* Reflexes
- Baroreceptors, *See under* Receptors
- Baroreflexes, *See under* Reflexes
- Benzodiazepines, *See under* Antagonists, miscellaneous; Hypnotics
- Bicitra®, *See under* Pharmacology
- Biotransformation
- metabolites
- in study of hepatitis following halothane (RA) [Stock & Strunin], 424
- Blood
- anticoagulants
- heparin
- thrombocytopenia induced by, extracorporeal circulation in patient with (CO) [Ellison, Kappa, Fisher & Addonizio], 336
- in management of patients with protamine hypersensitivity for cardiac surgery (CO) [Jackson, Wuerflein & Gerbo], 120
- coagulation
- in management of patients with protamine hypersensitivity for cardiac surgery (CO) [Jackson, Wuerflein & Gerbo], 120
- hemodynamics
- renal, infrarenal aortic cross-clamping and (CO) [Forster & Favre], 224
- renal, infrarenal aortic cross-clamping and (CO) [Gelman & Navar], 223
- hemorrhage
- in response to nitrous oxide or halothane in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
- heparin
- in management of patients with protamine hypersensitivity for cardiac surgery (CO) [Jackson, Wuerflein & Gerbo], 120
- loss
- in response to nitrous oxide or halothane in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
- lymphocytes
- splenic, alterations in, and increased mortality from sepsis following anesthesia in mice (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267
- nucleotide assay
- in diagnosis of malignant hyperthermia (LR) [Lee, Adragna & Edwards], 311
- platelets
- in diagnosis of malignant hyperthermia (LR) [Lee, Adragna & Edwards], 311
- extracorporeal circulation in patient with heparin-induced thrombocytopenia (CO) [Ellison, Kappa, Fisher & Addonizio], 336
- protamine
- hypersensitivity, management of patients with, for cardiac surgery (CO) [Jackson, Wuerflein & Gerbo], 120
- replacement, *See under* Transfusion
- stored, *See under* Transfusion
- volume
- acute hypovolemia, midazolam pharmacodynamics and pharmacokinetics during (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140
- Blood flow
- cerebral, *See under* Brain
- hepatic, *See under* Liver
- renal, *See under* Kidney
- spinal cord, *See under* Spinal cord
- Blood pressure
- drug effects
- and acute tolerance to fentanyl during anesthesia in dogs (OA) [Askitopoulou, Whitwam, Al-Khudhairi, Chakrabarti, Bower & Hull], 255
- in ischemic myocardial dysfunction in presence of coronary stenosis in dogs (OA) [Buffington], 651
- measurement
- arterial, comparing direct and indirect (CO) [Loubser], 566
- monitoring, *See under* Monitoring
- response to laryngoscopy, influence of laryngoscopic technique (CO) [Norris & Baysinger], 560
- Blood pressure, *See also under* Measurement techniques; Monitoring
- Boiling point, *See under* Physics
- Boiling point-composition data, *See under* Chemistry
- Book reviews
- Brumback, R. A., and Gerst, J., *The Neuromuscular Junction*, 240
- Book Reviews
- Eger, E. I., II (ed.), *Nitrous Oxide*, 466
- Gregory, G. A. (ed.), *Pediatric Anesthesia*, 240
- Thomas, S. J. (ed.), *Manual of Cardiac Anesthesia*, 240
- Brachial plexus block, *See under* Anesthetic techniques
- Bradycardia, *See under* Heart
- Brain
- anticonvulsant actions
- and anticonvulsant actions of enflurane on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
- blood flow
- during alcohol withdrawal and following midazolam therapy (OA) [Newman, Hoffman, Miletich & Albrecht], 395
- in continuous etomidate infusion in dogs (OA) [Milde, Milde & Michenfelder], 371
- effects of pancuronium and atracurium on, in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
- influence of sufentanil on, in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274
- and prolonged halothane anesthesia not related to cerebrospinal fluid pH (OA) [Warner, Boarini & Kassell], 243
- ¹³³Xenon for measurement of, during halothane, enflurane, and isoflurane anesthesia in humans (OA) [Eintrei, Lesznowski & Carlsson], 391
- convulsion
- influence of sufentanil on, in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274
- convulsions
- and anticonvulsant actions of enflurane on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
- EEG
- and anticonvulsant actions of enflurane on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
- electroencephalogram
- in assessment of cerebral effects of pancuronium and atracurium in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
- in assessment of cerebral functional, metabolic, and hemodynamic effects of etomidate in dogs (OA) [Milde, Milde & Michenfelder], 371
- influence of sufentanil on, in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274
- evoked potentials
- effect of high dose sodium thiopental on (OA) [Drummond, Todd & Sang], 249

- GABA receptors**
and induction of anesthesia with GABA analog, THIP (OA) [Cheng & Brunner], 147
- glucose consumption**
selective changes in, induced by phenobarbital in rat (OA) [Hodes, Soncrant, Larson, Carlson & Rapoport], 633
- glucose metabolism**
during nitrous oxide and pentobarbital anesthesia in rats (OA) [Sakabe, Tsutsui, Maekawa, Ishikawa & Takeshita], 262
- head injury**
and thiopental pharmacokinetics under conditions of long-term infusion (OA) [Turcant, Delhumeau, Premel-Cabic, Granry, Cottineau, Six & Allain], 50
- intracranial pressure**
¹³³Xenon for measurement of, during halothane, enflurane, and isoflurane anesthesia in humans (OA) [Eintrei, Lesznowski & Carlsson], 391
- laudanosine**
increases minimum alveolar concentration of halothane in rabbits (OA) [Shi, Fahey, Fisher, Miller, Canfell & Eger], 584
- metabolism**
during alcohol withdrawal and following midazolam therapy (OA) [Newman, Hoffman, Miletich & Albrecht], 395
and changes in glucose utilization induced by phenobarbital in rats (OA) [Hodes, Soncrant, Larson, Carlson & Rapoport], 633
in continuous etomidate infusion in dogs (OA) [Milde, Milde & Michenfelder], 371
effects of pancuronium and atracurium on, in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
influence of sufentanil on, in rat (OA) [Keykhah, Smith, Carlsson, Safo, Englebach & Harp], 274
- oxygen consumption**
in continuous etomidate infusion in dogs (OA) [Milde, Milde & Michenfelder], 371
effects of pancuronium and atracurium on, in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
- reticular multi-unit activity**
and anticonvulsant actions of enflurane on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
- seizures**
in study of toxicity and resuscitation in lidocaine- or bupivacaine-infused cats (OA) [Chadwick], 385
- Brain stem anesthesia, See under Complications**
- Breath sounds, See under Monitoring**
- Breathing**
continuous positive-pressure, *See under Ventilation*
- Breathing, work of, See under Ventilation**
- Bronchopleural fistula, See under Lung(s)**
- Bronchoscopes, See under Equipment**
- Bronchoscopy, See under Ventilation**
- Brumback R. A., and Gerst, J.**
The Neuromuscular Junction (BR), 240
- Bupivacaine, See under Anesthetics, local**
- Butorphanol, See under Analgesics**

C

- Capacitance vessels, See under Veins**
- Carbon dioxide**
elimination
during high-frequency jet ventilation, factors influencing (OA)

- [Rouby, Simonneau, Benhamou, Sartene, Sardnal, Deriaz, Duroux & Viars], 475
- hypercapnia**
tracheal insufflation of O₂ (TRIO) at low flow rates sustains life for several hours (OA) [Slutsky, Watson, Leith & Brown], 278
- production**
monitoring of, in early diagnosis of malignant hyperthermia (CO) [Dunn, Maltry & Eggers], 333
- ventilatory response**
effects of succinylcholine on, in humans (OA) [Williams & Bourke], 299
- Carbon dioxide response, See under Ventilation**
- Cardiac anesthesia, See under Anesthesia**
- Cardiac arrest, See under Heart**
- Cardiac block, See under Heart**
- Cardiac output, See under Heart; Monitoring**
- Cardiac surgery, See under Surgery**
- Cardiopulmonary bypass, See under Surgery**
- Cardiopulmonary receptors, See under Receptors**
- Cardiopulmonary reflexes, See under Reflexes**
- Cardiovascular anesthesia, See under Anesthesia**
- Cardiovascular reflexes, See under Heart**
- Cardiovascular surgery, See under Surgery**
- Catecholamines, See under Sympathetic nervous system**
- Catheters, See under Equipment**
- Caudal anesthesia, See under Anesthetic techniques; epidural**
- Celiac plexus block, See under Anesthetic techniques, regional**
- Central venous pressure, See under Monitoring**
- Cerebrospinal fluid**
differentiating interstitial fluid from (CO) [Downey, Slater & Zeitlin], 120
- pH**
cerebrovascular adaptation to prolonged halothane anesthesia not related to (OA) [Warner, Boarini & Kassell], 243
- Cervical anesthesia, See under Anesthetic techniques, regional**
- Cesarean section, See under Anesthesia**
- Channel blockade, See under Ions, calcium**
- Charcoal, See under Equipment**
- Chemistry**
atracurium
A. W. Von Hofmann and (CO) [Evans], 118
- azeotrope**
halothane-enflurane mixtures, applied to anesthesia (OA) [Korman & Ritchie], 152
- boiling point-composition data**
and chemistry of halothane-enflurane mixtures applied to anesthesia (OA) [Korman & Ritchie], 152
- vapor pressure-composition data**
and chemistry of halothane-enflurane mixtures applied to anesthesia (OA) [Korman & Ritchie], 152
- Chromatography, See under Measurement techniques**
- Chylothorax, See under Complications**
- Cimetidine, See under Histamine**
- Circuits, See under Equipment**
- 2-Cloroprocaine, See under Anesthetics, local**
- Coagulation, See under Blood**
- Cocaine, See under Anesthetics, local**
- Compliance, See under Lung(s)**
- Complications**
air embolism
during sitting position craniotomy, identification of, by transe-

- sophageal echocardiography (CR) [Cucchiara, Seward, Nishimura, Nugent & Faust], 107
- anaphylaxis**
and histamine release by barbiturate induction agents (EV) [Lorenz & Doenicke], 351
- ankylosing spondylitis**
caudal anesthesia complicated by intraosseous injection in (CR) [Weber], 716
- apnea**
and rigidity after anesthesia with sufentanil (CR) [Chang & Fish], 710
- arrhythmia**
hypokalemia and (EV) [McGovern], 127
intraoperative, chronic hypokalemia and (OA) [Vitez, Soper, Wong & Soper], 130
- aspiration**
cricoid compression is effective in obliterating esophageal lumen in presence of nasogastric tube (CR) [Salem, Joseph, Heyman, Belani, Paulissian & Ferrara], 443
pneumonitis in, prophylaxis against, Bicitra® and metoclopramide in (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378
- brain stem anesthesia**
following retrobulbar blockade (CR) [Hamilton], 688
- chylothorax**
following celiac plexus block (CR) [Fine & Bubela], 454
- convulsions**
and anticonvulsant actions of enflurane on epilepsy models in cats (OA) [Oshima, Urabe, Shingu & Mori], 29
in caudal anesthesia complicated by intraosseous injection in ankylosing spondylitis (CR) [Weber], 716
- CSF leak**
differentiating interstitial fluid from cerebral spinal fluid during (CO) [Downey, Slater & Zeitlin], 120
- double aortic arch**
airway obstruction with esophageal monitors in (CO) [Moorthy, Haselby & Stein], 465
- dysrhythmia**
in acceleration of epinephrine absorption by lidocaine (CR) [Veda, Hirakawa & Mori], 717
during thermomodulation cardiac output determination (CR) [Harris, Miller, Beattie, Rosenfeld & Rogers], 540
- embolism**
fatal intraoperative, in child with hepatoblastoma (CR) [Dorman, Sumner & Spitz], 692
- fainting**
after oral premedication with diazepam (CR) [Jansen, Wachowiak-Andersen, Münster-Swendsen & Valentin], 557
- heel sores**
in association with prolonged epidural analgesia (CO) [Pither, Hartrick & Raj], 459
- hepatoblastoma**
fatal intraoperative tumor embolism in child with (CR) [Dorman, Sumner & Spitz], 692
- Huntington's chorea**
patients with, may respond normally to succinylcholine (CO) [Costarino & Gross], 570
- hydrothorax**
from left external jugular vein (CO) [Ghani & Berry], 723
- hypotension**
and isoflurane-fentanyl flush (CO) [DesMarteau], 126
in perioperative hypothyroidism (CR) [Levelle, Jopling & Sklar], 195
- in response to traction on abdominal mesentery (CR) [Seltzer, Ritter, Starsnic & Marr], 96
- intracranial hypertension**
and anesthesia for cesarean section (CR) [Abouleish, Ali & Tang], 705
- intubation**
endotracheal
failure to withdraw laryngoscope after nasotracheal intubation (CO) [Ovassapian], 124
- jaundice**
following halothane (RA) [Stock & Strunin], 424
- nerve injury**
persistent paresis, following interscalene brachial plexus block (CR) [Bashein, Robertson & Kennedy], 102
- pacemakers**
intraoperative (CR) [Shapiro, Roizen, Singleton, Morady, Bainton & Gaynor], 319
- paraplegia**
in somatosensory evoked potential monitoring during thoracic aortic aneurysm surgery (CR) [Takaki & Okumura], 700
- pheochromocytoma**
possible pharmacologic trespass in (CO) [James], 338
possible pharmacologic trespass in (CO) [Uzoni & Leiman], 337
- pneumonia**
in use of petroleum jelly with endotracheal tube (CO) [Gold], 339
- pneumonitis**
Bicitra® and metoclopramide in outpatient anesthesia for prophylaxis against (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378
- postoperative**
hepatitis following halothane (RA) [Stock & Strunin], 424
- preeclampsia**
severe, nitroglycerin in preventing hypertensive response to tracheal intubation in (CR) [Hood, Dewan, James, Floyd & Bogard], 329
- pulmonary edema**
and cardiomyopathy presenting at cesarean delivery (CR) [Malinow, Butterworth, Johnson, Safon, Rein, Hartwell, Datta, Lind & Ostheimer], 545
- respiratory failure**
and elevated sufentanil levels in chronic renal failure (CR) [Wigum, Cork, Weldon, Gandolfi & Perry], 708
- rigidity**
acute respiratory arrest and, after anesthesia with sufentanil (CR) [Chang & Fish], 710
postoperative, following sufentanil administration (CR) [Goldberg, Ishak, Garcia & McKenna], 199
- SIDS**
is there risk of general anesthesia triggering? (CR) [Steward], 326
- subdural injection**
of local anesthetic, in epidural anesthesia (CR) [Stevens & Stanton-Hicks], 323
- tracheal rupture**
following insertion of disposable double-lumen endotracheal tube (CR) [Wagner, Gammage & Wong], 698
- weakness**
of lower extremity following vaginal delivery under epidural analgesia (CR) [Shin, Lee & Kim], 531
- Computer assisted anesthesia, See under Anesthesia**
Computers, See under Equipment
Conduction, See under Nerve(s)
Contamination, See under Anesthetics, volatile; Operating rooms

Continuous infusion intravenous anesthesia, *See under* Anesthetics, intravenous
Continuous positive-pressure breathing, *See under* Ventilation
Convulsions, *See under* Brain; Complications
Coronary arteries, *See under* Arteries
Coronary stenosis, *See under* Heart
Corticosteroid hormones, *See under* Hormones
Coughing, *See under* Reflexes
Cri du chat syndrome
 anesthetic considerations in (CR) [Yamashita, Tanioka, Taniguchi, Matsuki & Oyama], 201
Cricoid pressure, *See under* Larynx
Cross-clamping, *See under* Equipment
Cyclopropane, *See under* Anesthetics, gases

D

Delivery systems, *See under* Oxygen
Depth of anesthesia, *See under* Anesthesia
Diaphragm, *See under* Muscle, skeletal
Diazepam, *See under* Hypnotics, benzodiazepines
Differential conduction, *See under* Nerve
Differential transmission, *See under* Nerve
Diffusion, *See under* Pharmacokinetics
Diphenhydramine, *See under* Histamine
Double aortic arch, *See under* Complications
Double-lumen endotracheal tube, *See under* Equipment
Doxazosin, *See under* Pharmacology
Droperidol, *See under* Pharmacology
Drug distribution, *See under* Spinal cord
d-Tubocurarine, *See under* Neuromuscular relaxants
Dural sinus, *See under* Veins
Dwarf
 achondroplastic, *See under* Achondroplastic dwarf
Dwarfism
 anesthesia for cesarean section in (CR) [Benson, Dozier, Goto & Arakawa], 548
Dysrhythmia, *See under* Complications

E

Ear
 external canal
 and ear wax and otolaryngologist (CO) [Liston], 566
 wax
 and otolaryngologist (CO) [Liston], 566
Ear, *See also under* Hearing
Echocardiograph, *See under* Equipment
Echocardiography, *See under* Monitoring
ED₅₀, *See under* Potency, anesthetic
ED₉₀, *See under* Potency, anesthetic
Education
 correctly identifying sexes in (CO) [Kendig], 732
 correctly identifying sexes in (editorial comment on), 732
 residents
 potential of, and training programs for (EV) [Rogers], 575
EEG, *See under* Brain
Eger, E. I., II (ed.)
 Nitrous Oxide (BR), 466
Electroencephalogram, *See under* Brain
Electromyography, *See under* Measurement techniques
Embolism
 air, *See also under* Complications
 and achondroplastic dwarf (CR) [Katz & Mayhew], 205

 and cerebral venous sinus pressure in seated dogs (OA) [Hibino & Matsuura], 184
 detection of, by M-mode transesophageal echocardiography following cardiopulmonary bypass (CR) [Oka, Moriwaki, Hong, Chuculate, Strom, Andrews & Frater], 109
 produced by hydrogen peroxide irrigation of anal fistula during anesthesia (CR) [Tsai, Lee & Mok], 316
 venous, sensitivity of end-tidal nitrogen in detection of (OA) [Matjasko, Petrozza & Mackenzie], 418
 via pulmonary artery catheter introducer (CO) [Bristow, Batjer, Chow & Rosenstein], 340
 via pulmonary artery catheter introducer (CO) [Frankhouser], 341

Embolism, *See also under* Complications

Endobronchial tubes, *See under* Equipment

Endoscopes, *See under* Equipment

Endotracheal intubation, *See under* Intubation

Endotracheal tubes, *See under* Equipment

End-tidal CO₂, *See under* Monitoring

End-tidal nitrogen, *See under* Gases

Enflurane, *See under* Anesthetics, volatile

Ephedrine, *See under* Sympathetic nervous system, sympathomimetic agents

Epidural anesthesia, *See under* Anesthetic techniques

Epinephrine, *See under* Sympathetic nervous system

Eponyms, *See under* History

Equipment

 alarms

 adjustable high-pressure, anesthesia ventilators should have (CO) [Bashein & MacEvoy], 231

 adjustable high-pressure, anesthesia ventilators should have (CO) [Schreiber], 232

 analyzers

 oxygen

 general anesthesia without (CO) [McGarrigle], 116

 bronchoscopes

 use of plastic transparent dressing with (CO) [Benumof], 334

 catheters

 flow-directed

 slowing of sinus rhythm during use of (CR) [Harris, Miller, Beattie, Rosenfeld & Rogers], 540

 pulmonary artery

 introducer, air embolism via (CO) [Bristow, Batjer, Chow & Rosenstein], 340

 introducer, air embolism via (CO) [Frankhouser], 341

 unexpected wedge pressure (at less than 35 cm) may be artifactual (CO) [Paniacek], 731

 venous

 hazard of catheterization with (CO) [Ghani & Berry], 723

 charcoal

 filter, for closed circuit anesthesia (CO) [Baumgarten], 125

 for portable circuit for prolonged oxygen administration in aircraft (CO) [Lanier & Weeks], 116

 circuits

 closed

 in detection of malignant hyperthermia (CO) [Baumgarten & Reynolds], 123

 for portable circuit for prolonged oxygen administration in aircraft (CO) [Lanier & Weeks], 116

 simple charcoal filter for (CO) [Baumgarten], 125

 portable

 C-Pram® (CO) [SanJuan], 725

- computers**
for anesthesia records, may have drawbacks (CO) [Lees], 236
for anesthesia records, may have drawbacks (CO) [Rosen & Rosenzweig], 237
- cross-clamping**
infrarenal aortic, and renal hemodynamics (CO) [Forster & Favre], 224
infrarenal aortic, and renal hemodynamics (CO) [Gelman & Navar], 223
- double-lumen endotracheal tube**
disposable, tracheal rupture following insertion of (CR) [Wagner, Gammage & Wong], 698
- echocardiograph**
transesophageal
in dimensional analysis of four cardiac chambers during positive end-expiratory pressure (OA) [Terai, Uenishi, Sugimoto, Shimazu, Yoshioka & Sugimoto], 640
- endoscopes**
fiberoptic
unusual difficulty in intubation with (CO) [Moorthy & Dierdorf], 229
- esophageal monitors**
airway obstruction with, in double aortic arch (CO) [Moorthy, Haselby & Stein], 465
- filter**
for portable circuit for prolonged oxygen administration in aircraft (CO) [Lanier & Weeks], 116
simple charcoal, for closed circuit anesthesia (CO) [Baumgarten], 125
- flexible fiberoptic laryngoscope**
two-stage intubation with, in infants (CR) [Berthelsen, Prytz & Jacobsen], 457
- infusion**
intravenous
for simplified vasoactive drug infusion (CO) [DiNardo & Satwicz], 230
- laryngoscope**
fiberoptic
failure to withdraw, after nasotracheal intubation (CO) [Ovasapian], 124
technique for intubation with (CO) [Gurmarnik], 464
technique, influence of, on heart rate and blood pressure response to laryngoscopy (CO) [Norris & Baysinger], 560
- machines**
anesthesia
potential failure in (CO) [Heine & Adams], 335
potential failure in (CO) [Riddle], 336
- mass spectrometer**
and aerosol propellants (CO) [Theisen, Gravenstein, Knudsen, Johnson & Yost], 568
error in measurement of oxygen uptake due to anesthetic gases while using (CO) [Beatty & Kay], 572
monitoring of patients with regional anesthesia (CO) [Ibarra & Lees], 572
readings, potential effects of unknown gas on (CO) [McCleary], 724
- oximeter**
for respiratory monitoring of children undergoing radiation therapy (CO) [Glaser & Fisher], 123
- pacemakers**
intraoperative, complications of (CR) [Shapiro, Roizen, Singleton, Morady, Bainton & Gaynor], 319
- pacing catheter**
to control heart rate in aortic insufficiency and coronary artery disease (CR) [Latson & Lappas], 712
- pulse oximetry**
during one-lung ventilation (CR) [Brodsky, Shulman, Swan & Mark], 212
- pumps**
infusion
simpler way to determine drug infusion rates with (CO) [McKiernan], 459
- sheath stylet**
translaryngeal guided intubation using (CO) [King], 567
- stethoscope**
esophageal
cuff torn by K-wire (CO) [Chen, Shamaskin & Saunders], 723
for monitoring ventilation during computed tomography scan (CO) [Sarnat & Kemp], 729
- syringes**
security for emergency surgical procedures (CO) [Bready, Orr, & Mote], 225
- tubes**
endobronchial
left-sided double-lumen, malposition of (CO) [Hirsch & Smith], 563
- endotracheal**
new (Univent Tube®) for selective blockade of one lung (CO) [Kamaya & Krishna], 342
reinforced silicone, fixation of (CO) [Steward], 334
speaking (CR) [Walsh & Rho], 703
- nasogastric**
cricoid compression is effective in obliterating esophageal lumen in presence of (CR) [Salem, Joseph, Heyman, Belani, Paulissian & Ferrara], 443
- vaporizers**
mis-filled, hazards of: summary tables (CO) [Chilcoat], 726
- ventilators**
anesthesia, should have adjustable high-pressure alarms (CO) [Bashein & MacEvoy], 231
anesthesia, should have adjustable high-pressure alarms (CO) [Schreiber], 232
- Esophageal monitors, See under Equipment**
Esophageal stethoscope, See under Equipment; Monitoring
Esophagus, See under Gastrointestinal tract
Etomidate, See under Anesthetics, intravenous
Evoked potentials, See under Brain; Monitoring
Experimental pain, See under Pain
External canal, See under Ear
Eye(s)
anesthesia
unilateral retrobulbar block, bilateral amaurosis following (CO) [Follette & LoCascio], 237
- intraocular**
injuries of (CO) [Bourke], 727

Filter, *See under* Equipment

Fistula

bronchopleural, *See under* Lung(s)

Flexible fiberoptic laryngoscope, *See under* Equipment

Fluid

cerebral spinal, *See* Cerebrospinal fluid

interstitial

differentiation from cerebral spinal fluid (CO) [Downey, Slater & Zeitlin], 120

Fluid flow, *See under* Physics

Fluorocarbons, *See under* Pharmacology

Foramen ovale, *See under* Heart

FRC, *See under* Lung(s)

Functional residual capacity, *See under* Lung(s)

G

GABA receptors, *See under* Brain, Receptors

GABA, *See under* Neurotransmitters

Gallamine, *See under* Neuromuscular relaxants; Pharmacokinetics

Gas exchange, *See under* Ventilation

Gases

nitrogen

end-tidal

sensitivity of, in venous air embolism detection in dogs (OA) [Matjasko, Petrozza & Mackenzie], 418

See also under Monitoring

Gastric pressure, *See under* Measurement techniques

Gastrointestinal tract

antacids

in outpatient anesthesia for prophylaxis against aspiration pneumonia (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378

aspiration

Bicitra® and metoclopramide in: outpatient anesthesia for prophylaxis against (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378

esophagus

monitors in, airway obstruction due to, in double aortic arch (CO) [Moorthy, Haselby & Stein], 465

mesentery

hemodynamic response to traction on (CR) [Seltzer, Ritter, Starsnic & Marr], 96

Glucose

consumption, *See under* Brain

metabolism, *See under* Brain; Metabolism

utilization, *See under* Spinal cord

Gregory, G. A. (ed.)

Pediatric Anesthesia (BR), 240

H

Halothane, *See under* Anesthetics, volatile

Head injury, *See under* Brain

Hearing

ear

and anesthesiologists (CO) [Liston], 566

Heart

arrhythmias

and antiarrhythmic effect of verapamil may be independent of calcium channel blockade (CO) [Metz & Maze], 233

cardiac alpha receptors and (EV) [Dresel], 582

hypokalemia and (EV) [McGovern], 127

intraoperative, chronic hypokalemia and (OA) [Vitez, Soper, Wong & Soper], 130

"junctional rhythms" with halogenated anesthetics (CO) [Sosis, Cooper & Herr], 233

threshold, alpha₁-adrenergic blockade raises, in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611

block

use of pacing catheter to control heart rate with aortic insufficiency and (CR) [Latson & Lappas], 712

blood flow

during induced hypotension: comparison between nitroprusside and ATP (CO) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517

in ischemic myocardial dysfunction in presence of coronary stenosis in dogs (OA) [Buffington], 651

bradycardia

use of pacing catheter to control heart rate with aortic insufficiency and (CR) [Latson & Lappas], 712

cardiac arrest

in study of toxicity and resuscitation in lidocaine- or bupivacaine-infused cats (OA) [Chadwick], 385

cardiac output

in response to traction on abdominal mesentery (CR) [Seltzer, Ritter, Starsnic & Marr], 96

cardiovascular reflexes

during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500

coronary stenosis

hemodynamic determinants of ischemic myocardial dysfunction in presence of (OA) [Buffington], 651

foramen ovale

patent, identification of, during sitting position craniotomy (CR) [Cucchiara, Seward, Nishimura, Nugent & Faust], 107

heart rate

and blood pressure response to laryngoscopy (CO) [Norris & Bay-singer], 560

hypoxia

effects of thiopental on, in rat heart muscle (OA) [Ruigrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172

ischemia

effects of thiopental on, in rat heart muscle (OA) [Ruigrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172

intraoperative, during fentanyl-pancuronium anesthesia, intra-venous nitroglycerin dosage to prevent (CO) [Shapira & Gertel], 121

intraoperative, during fentanyl-pancuronium anesthesia, intra-venous nitroglycerin dosage to prevent (CO) [Thomson, Mutch & Culligan], 122

metabolism

effects of thiopental on, in rat heart muscle (OA) [Ruigrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172

during induced hypotension: comparison between nitroprusside and ATP (CO) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517

myocardial function

hemodynamic determinants of, in presence of coronary stenosis in dogs (OA) [Buffington], 651

and pharmacodynamic effects of high-dose fentanyl in newborn piglets (OA) [Schieber, Stiller & Cook], 166

transesophageal echocardiographic dimensional analysis of, during

- positive end-expiratory pressure (OA) [Terai, Uenishi, Sugimoto, Shimazu, Yoshioka & Sugimoto], 640
- myocardial ischemia**
hemodynamic determinants of, in presence of coronary stenosis in dogs (OA) [Buffington], 651
- myopathy**
presenting a cesarean delivery (CR) [Malinow, Butterworth, Johnson, Safon, Rein, Hartwell, Datta, Lind & Ostheimer], 545
- pacemakers**
artificial
to control heart rate in aortic insufficiency and coronary artery disease (CR) [Latson & Lappas], 712
intraoperative, complications of (CR) [Shapiro, Roizen, Singleton, Morady, Bainton & Gaynor], 319
- pulse rate**
and acute tolerance to fentanyl during anesthesia in dogs (OA) [Askitopoulou, Whitwam, Al-Khudhairi, Chakrabarti, Bower & Hull], 255
in ischemic myocardial dysfunction in presence of coronary stenosis in dogs (OA) [Buffington], 651
- spasm**
intraoperative, in young woman (CO) [Vitez], 567
- sympathectomy**
by epidural blockade, circulatory responses during (OA) [Take-shima & Dohi], 500
- Heart rate, See under Heart**
- Heel sores, See under Complications**
- Hemodynamics**
in determination of ischemic myocardial dysfunction in presence of coronary stenosis (OA) [Buffington], 651
- epidural anesthesia**
in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
- hypovolemia**
acute, midazolam pharmacodynamics and pharmacokinetics during (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140
normal and acute hemorrhagic, in kidney, effect of halothane on (OA) [Priano], 357
- Hemodynamics, See under Blood**
- Hemorrhage, See under Blood**
- Heparin, See under Blood**
- Hepatic extraction coefficient, See under Liver**
- Hepatoblastoma, See under Complications**
- Hepatotoxicity, See under Liver**
- High-frequency jet ventilation, See under Ventilation**
- Histamine**
cimetidine
attenuates *d*-tubocurarine-induced hypotension (CO) [Hatano, Fukuda, Arai, Tamai & Harioka], 731
- diphenhydramine**
attenuates *d*-tubocurarine-induced hypotension (CO) [Hatano, Fukuda, Arai, Tamai & Harioka], 731
- mast cells**
thiobarbiturate-induced histamine release in (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353
- release**
by barbiturate induction agents (EV) [Lorenz & Doenicke], 351
thiobarbiturate-induced, in human skin mast cells (OA) [Hirshman, Edelstein, Ebertz & Hanifin], 353
- History**
eponyms
used in anesthesia, origin of common (CO) [Clark], 338
- Hofmann**
biography of, and reaction named after (CO) [Evans], 118
- muscle relaxants**
using priming dose of, is not new (CO) [Dundee], 569
training of anesthesiology residents (EV) [Rogers], 575
- Hormones**
adrenal
function of, following multiple anesthesia inductions with etomidate (CO) [Ellis, Berberich, Ettigi & Kwentus], 571
- corticosteroid**
function of, following multiple anesthesia inductions with etomidate (CO) [Ellis, Berberich, Ettigi & Kwentus], 571
- prostaglandins**
and augmentation of oxidant-induced pulmonary vasoconstriction by inhalation anesthetics (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624
- thyroid**
and perioperative hypothyroidism (CR) [Leveille, Jopling & Sklar], 195
- Huntington's chorea, See under Complications**
- Hydrogen peroxide, See under Interactions (drug)**
- Hydromorphone, See under Analgesics, narcotic**
- Hydrothorax, See under Complications**
- Hypercapnia, See under Carbon dioxide**
- Hypertension**
intracranial, See under Complications
- Hyperthermia**
malignant
and *in vitro* interaction between halothane and succinylcholine in human skeletal muscle (LR) [Fletcher & Rosenberg], 190
diagnostic test for, use of platelet nucleotide assay as (LR) [Lee, Adragna & Edwards], 311
early detection of (CO) [Baumgarten & Reynolds], 123
value of mass spectrometry in early diagnosis of (CO) [Dunn, Maltry & Eggers], 333
- Hypnotics**
barbiturates
anaphylactoid reactions and histamine release by (EV) [Lorenz & Doenicke], 351
selective changes in local cerebral glucose utilization induced by, in rat (OA) [Hodes, Soncrant, Larson, Carlson & Rapoport], 633
- benzodiazepines**
antagonist Ro 15-1788, effects of, in presence of stable concentrations of midazolam (OA) [Lauven, Schwilden, Stoeckel & Greenblatt], 61
- diazepam**
postural stability after oral (CR) [Jansen, Wachowiak-Andersen, Münster-Swendsen & Valentin], 557
and midazolam pharmacodynamics and pharmacokinetics during acute hypovolemia (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140
- midazolam**
pharmacodynamics and pharmacokinetics during acute hypovolemia (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140
stable concentrations of, effects of benzodiazepine antagonist Ro 15-1788 in presence of (OA) [Lauven, Schwilden, Stoeckel & Greenblatt], 61
- phenobarbital**
selective changes in local cerebral glucose utilization induced by, in rat (OA) [Hodes, Soncrant, Larson, Carlson & Rapoport], 633
- Hypoglossal nerves, See under Nerve(s)**

Hypokalemia, See under Ions

Hypotension

induced, *See under Anesthetic techniques*

Hypotension, See under Complications

Hypothermia

shivering

postanesthetic, in primates, inhibition by peripheral heating and by taurine (OA) [Murphy, Lipton, Loughran & Giesecke], 161

Hypovolemia, See under Hemodynamics

Hypoxia

See also under Heart

heart

effects of thiopental on, in rat heart muscle (OA) [Ruigrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172

intermittent, *See under Lung(s)*

monitoring

general anesthesia without O₂ analyzer (CO) [McGarrigle], 116

postoperative

and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehan, Royston & Jones], 20

pulmonary vasoconstriction

fascination of (EV) [Grover], 580

in repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

I

Immune response

lymphocytes

splenic, alterations in, and increased mortality from sepsis following anesthesia in mice (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267

Indocyanine green clearance, See under Liver

Induced hypotension, See under Anesthetic techniques

Induction

agents

anaphylactoid reactions and histamine release by (EV) [Lorenz & Doenicke], 351

anesthesia

caution on vecuronium priming in (CO) [Sosis], 460

primary principle

fine tuning of (CO) [Foldes], 560

priming principle

and open eye-full stomach (CO) [Baumgarten & Reynolds], 561

Infection

septicemia

alterations in splenic lymphocyte subpopulations and increased mortality from, following anesthesia in mice (OA) [Hansbrough, Zapata-Sirvent, Bartle, Anderson, Elliott, Mansour & Carter], 267

Infusion rates, See under Measurement techniques

Interactions (drug)

hydrogen peroxide

gas embolism produced by irrigation with, during anesthesia (CR) [Tsai, Lee & Mok], 316

metocurine

neuromuscular blockade induced by, resistance to, in patients receiving phenytoin (OA) [Ornstein, Matteo, Young & Diaz], 294

neuromuscular relaxants

that block end-plate depolarization competitively (EV) [Taylor], 1

that block end-plate depolarization competitively (OA) [Waud & Waud], 4

phenytoin

resistance to metocurine-induced neuromuscular blockade in patients receiving (OA) [Ornstein, Matteo, Young & Diaz], 294

Intercostal anesthesia, See under Anesthetic techniques

International Symposium on Preventable Anesthetic Morbidity and Mortality, See under Organizations

Interscalene brachial plexus block, See under Anesthetic techniques

Interstitial fluid, See under Fluid

Intracranial hypertension, See under Complications

Intracranial pressure, See under Brain; Monitoring

Intravenous infusion equipment, See under Equipment

Intubation

complications

and anesthetic considerations in cri du chat syndrome (CR) [Yamashita, Tanioka, Taniguchi, Matsuki & Oyama], 201

endotracheal

complications

failure to withdraw laryngoscope after nasotracheal intubation (CO) [Ovassapian], 124

medical alert in difficult intubation (CO) [Schwartz & BianRosa], 343

unsuspected endobronchial intubation-detection by continuous mass spectrometry (CR) [Riley & Marcy], 203

emergency

in open eye injuries (CO) [Bourke], 727

equipment

new (Univent Tube®) for selective blockade of one lung (CO) [Kamaya & Krishna], 342

technique

awake, nebulized anesthesia for (CR) [Bourke, Katz & Tonne-son], 690

caution on vecuronium priming in (CO) [Sosis], 460

for fixation of reinforced silicone tubes (CO) [Steward], 334

introduction of new (CO) [Gurmarnik], 464

unusual difficulty in intubation with (CO) [Moorthy & Dierdorf], 229

use of petroleum jelly in (CO) [Gold], 339

traditional, can it be modified? (CO) [Gurmarnik], 464

translaryngeal guided

using sheath stylet (CO) [King], 567

Ions

calcium

and action of verapamil at neuromuscular junction (CO) [Baraka], 234

channel blockade

antiarrhythmic effect of verapamil may be independent of (CO) [Metz & Maze], 233

hypokalemia

chronic

and cardiac arrhythmias (EV) [McGovern], 127

and intraoperative dysrhythmias (OA) [Vitez, Soper, Wong & Soper], 130

potassium

and cardiac arrhythmias (EV) [McGovern], 127

in chronic hypokalemia and intraoperative dysrhythmias (OA) [Vitez, Soper, Wong & Soper], 130

extrarenal regulation, sympathoadrenal activity and (CO) [McIntyre, Knopes & Ossey], 230

sodium
and differential margin of safety of conduction in individual peripheral axons (OA) [Fink & Cairns], 65

Ischemia, See under Heart

Isoflurane, See under Anesthetics, volatile

J

Jaundice, See under Complications

Jugular vein, See under Veins

K

Ketamine, See under Anesthetics, intravenous

Kidney

blood flow

during normovolemia and acute hemorrhagic hypovolemia, effect of halothane on (OA) [Priano], 357

failure

chronic, postoperative respiratory depression and elevated sufentanil levels in (CR) [Wiggum, Cork, Weldon, Gandolfi & Perry], 708

hemodynamics, infrarenal aortic cross-clamping and (CO) [Forster & Favre], 224

hemodynamics, infrarenal aortic cross-clamping and (CO) [Gelman & Navar], 223

L

Laryngoscope, See under Equipment

Laryngoscopy, See under Surgery

Larynx

cricoid pressure

is effective in obliterating esophageal lumen in presence of nasogastric tube (CR) [Salem, Joseph, Heyman, Belani, Paulisian & Ferrara], 443

Laudanosine, See under Brain; Pharmacokinetics; Toxicity

Lesch-Nyhan syndrome

anesthesia and (CR) [Larson & Wilkins], 197

Lidocaine in vitro, See under Potency, anesthetic

Lidocaine, See under Anesthetics, local; Pharmacokinetics

Liver

blood flow

and effect of halothane on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70

hepatic extraction coefficient

during sodium nitroprusside-induced hypotension in humans (OA) [Chauvin, Bonnet, Montebault, Lafay, Curet & Viars], 287

hepatotoxicity

and unexplained hepatitis following halothane (RA) [Stock & Strunin], 424

hypoxia

and unexplained hepatitis following halothane (RA) [Stock & Strunin], 424

immune response

and unexplained hepatitis following halothane (RA) [Stock & Strunin], 424

indocyanine green clearance

during sodium nitroprusside-induced hypotension in humans (OA) [Chauvin, Bonnet, Montebault, Lafay, Curet & Viars], 287

metabolism

and effect of halothane on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70

and unexplained hepatitis following halothane (RA) [Stock & Strunin], 424

plasma flow

during sodium nitroprusside-induced hypotension in humans (OA) [Chauvin, Bonnet, Montebault, Lafay, Curet & Viars], 287

Local anesthesia, See under Anesthetics, local

Local anesthetics, See under Anesthetics, local

Lung(s)

blood flow

and facination of hypoxic lung (EV) [Grover], 580
in repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

bronchopleural fistula

evaluation of high-frequency jet ventilation in, by quantitation of airleak (CR) [Albelda, Hansen-Flaschen, Taylor, Lanken & Wollman], 551

compliance

with and without continuous positive airway pressure in acute respiratory failure (OA) [Katz & Marks], 598

and continuous positive airway pressure: to breathe or not to breathe (EV) [Kirby], 578

expiratory sulfur hexafluoride concentration in, analyzer for in-line measurement of (LR) [Jonmarker, Castor, Drefeldt & Werner], 84

FRC

and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Drummond], 729

and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Hedenstierna], 730

function

with and without continuous positive airway pressure in acute respiratory failure (OA) [Katz & Marks], 598

and continuous positive airway pressure: to breathe or not to breathe (EV) [Kirby], 578

functional residual capacity

measurement of, by sulfur hexafluoride washout (LR) [Jonmarker, Jansson, Jonson, Larsson & Werner], 89

hypoxic pulmonary vasoconstriction

facination of (EV) [Grover], 580

in repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

intermittent hypoxia

in closed chest dogs, hypoxic pulmonary vasoconstriction is not potentiated by (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

facination of (EV) [Grover], 580

respiratory failure

and continuous positive airway pressure: to breathe or not to breathe (EV) [Kirby], 578

inspiratory work with and without continuous positive airway pressure in (OA) [Katz & Marks], 598

in perioperative hypothyroidism (CR) [Levelle, Jopling & Sklar], 195

shunt

and facination of hypoxic lung (EV) [Grover], 580

in repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

trachea

ventilation, postlaryngectomy, pediatric face mask as aid in (CO) [Aghdami, Ellis & Rah], 335

vascular resistance

and augmentation of oxidant-induced pulmonary vasoconstriction by inhalation anesthetics (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624

and facination of hypoxic lung (EV) [Grover], 580
in repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608

volume

during high-frequency jet ventilation, factors influencing (OA) [Rouby, Simonneau, Benhamou, Sartene, Sardnal, Deriaz, Duroux & Viars], 473

Lymphocytes, *See under* Blood; Immune response

M

MAC, *See under* Potency, anesthetic

Machines, anesthesia, *See under* Equipment

Malignant hyperthermia, *See under* Hyperthermia

Mass spectrometer, *See under* Equipment; Measurement techniques; Monitoring

Masseter muscle, *See under* Muscle, skeletal

Mast cells, *See under* Histamine

Maze performance, *See under* Psychologic responses

Measurement techniques

autoradiography

in assessment of distribution of morphine and meperidine after intrathecal administration (OA) [Gustafsson, Post, Edvardsen & Ramsay], 483

blood pressure

arterial, comparing direct and indirect (CO) [Loubser], 566

chromatography

in diagnosis of malignant hyperthermia (LR) [Lee, Adragna & Edwards], 311

electromyography

and evoked and mechanical responses following atracurium in humans (CR) [Kopman], 208

infusion rates

simpler way to determine (CO) [McKiernan], 459

mass spectrometer

readings, potential effects of unknown gas on (CO) [McCleary], 724

mass spectrometry

value of, in early diagnosis of malignant hyperthermia (CO) [Dunn, Maltry & Eggers], 333

oxygen uptake

error in measurement of, due to anesthetic gases when using mass spectrometer (CO) [Beatty & Kay], 572

plethysmography

forearm

impedance, in assessment of effect of halothane anesthesia on cardiopulmonary baroreflex control of peripheral resistance (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668

pressure

gastric

problems in interpreting (CO) [Drummond], 727
problems in interpreting (CO) [Dureuil & Desmonts], 728

washout

and analyzer for in-line measurement of expiratory sulfur hexafluoride concentration (LR) [Jonmarker, Castor, Drefeldt & Werner], 84

sulfur hexafluoride, measurement of functional residual capacity by (LR) [Jonmarker, Jansson, Jonson, Larsson & Werner], 89

Mechanical ventilation, *See under* Ventilation

Meetings, reports of, *See under* Organizations

Membrane

cell

effect, in inhalation anesthetic augmentation of oxidant-induced pulmonary vasoconstriction (OA) [Shayevitz, Traystman, Adkinson, Sciuto & Gurtner], 624

Memory

during surgery, acceptability of (CO) [Aldrete & Wright], 460

Meperidine, *See under* Analgesics

Metabolism

glucose

during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55

heart

effects of thiopental on, in rat heart muscle (OA) [Ruigrok, Slade, van der Meer, de Moes, Sinclair, Poole-Wilson & Meijler], 172

inhibition

and effect of halothane on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70

metabolites

lidocaine

during intermittent epidural anesthesia (OA) [Inoue, Suganuma, Echizen, Ishizaki, Kushida & Tomono], 304

of sufentanil, detection by capillary gas chromatography (LR) [Weldon, Perry, Cork & Gandolfi], 684

regional

during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55

respiratory depression

in accidental epidural overdose of hydromorphone (CO) [Moon & Clements], 238

spinal cord

during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55

Metabolism, *See also under* Heart; Brain

Metabolites, *See under* Anesthetics, local; Biotransformation

Methohexital, *See under* Anesthetics, intravenous

Methoxyflurane, *See under* Anesthetics, local; Anesthetics, volatile

Metoclopramide, *See under* Pharmacology

Metocurine, *See under* Interactions (drug); Neuromuscular relaxants; Pharmacokinetics; Pharmacodynamics

Metronidazole, *See under* Antibiotics

Microlaryngeal surgery, *See under* Surgery

Midazolam, *See under* Anesthetics, intravenous; Hypnotics; Pharmacodynamics; Pharmacokinetics; Premedication

Monitoring

airway

for children undergoing radiation therapy (CO) [Glaser & Fisher], 123

blood pressure

arterial, comparing direct and indirect (CO) [Loubser], 566

central venous

elective coronary bypass surgery without (CR) [Bashein, Johnson, Davis & Ivey], 451

pulmonary capillary wedge

elective coronary bypass surgery without (CR) [Bashein, Johnson, Davis & Ivey], 451

- breath sounds**
during computed tomography scan (CO) [Sarnat & Kemp], 729
- cardiac output**
thermodilution in, slowing of sinus rhythm during (CR) [Harris, Miller, Beattie, Rosenfeld & Rogers], 540
- echocardiography**
identification of patent foramen ovale during sitting position craniotomy by (CR) [Cucchiara, Seward, Nishimura, Nugent & Faust], 107
M-mode transesophageal, detection of air emboli in left heart by (CR) [Oka, Moriaki, Hong, Chuculate, Strom, Andrews & Frater], 109
- end-tidal CO₂**
in unsuspected endobronchial intubation (CR) [Riley & Marcy], 203
- esophageal**, in double aortic arch, airway obstruction due to (CO) [Moorthy, Haselby & Stein], 465
- evoked potentials**
effect of high dose sodium thiopental on (OA) [Drummond, Todd & Sang], 249
- gases**
unknown, potential effects of, on mass spectrometer readings (CO) [McCleary], 724
- intracranial pressure**
in isoflurane for neuroanesthesia (CR) [Grosslight, Foster, Colohan & Bedford], 533
- mass spectrometer**
in venous air embolism detection in dogs (OA) [Matjasko, Petrozza & Mackenzie], 418
- mass spectrometry**
aerosol propellants causing misleading readings in (CO) [Theisen, Gravenstein, Knudsen, Johnson & Yost], 568
in detection of unsuspected endobronchial intubation (CR) [Riley & Marcy], 203
of patients with regional anesthesia (CO) [Ibarra & Lees], 572
- oxygen**
general anesthesia without (CO) [McGarrigle], 116
and pulse oximetry during one-lung ventilation (CR) [Brodsky, Shulman, Swan & Mark], 212
- oxygen consumption**
in early detection of malignant hyperthermia (CO) [Baumgarten & Reynolds], 123
- postural stability**
after oral premedication with diazepam (CR) [Jansen, Wachowiak-Andersen, Münster-Swendsen & Valentin], 557
- pressure**
central venous
and left external vein catheterization hazard (CO) [Ghani & Berry], 723
wedge
unexpected, (at less than 35 cm) may be artifactual (CO) [Panacek], 731
- respiration**
of patients with regional anesthesia (CO) [Ibarra & Lees], 572
- somatosensory evoked potential**
application and limitation of, during thoracic aortic aneurysm surgery (CR) [Takaki & Okumura], 700
- stethoscope**
esophageal
cuff torn by K-wire (CO) [Chen, Shamaskin & Saunders], 723
- stimulator, nerve**
train-of-four
tactile and visual evaluation of response to (CR) [Viby-Mogensen, Jensen, Engbaek, Ørding, Skovgaard & Chraemmer-Jørgensen], 440
- tidal volume**
during Venturi jet ventilation for microlaryngeal surgery (CR) [Glenski, MacKenzie, Maragos & Southorn], 554
- Morphine**, *See under Analgesics; Anesthetic techniques; Premedication*
- Muscle**
skeletal
and action of verapamil at neuromuscular junction (CO) [Baraka], 234
diaphragm
and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Drummond], 729
and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Hedenstierna], 730
and problems in interpreting gastric pressure measurements (CO) [Drummond], 727
and problems in interpreting gastric pressure measurements (CO) [Dureuil & Desmonts], 728
masseter
in vitro interaction between halothane and succinylcholine in (LR) [Fletcher & Rosenberg], 190
and succinylcholine and polyneuropathy (CO) [Hagley & Griggs], 225
- Myocardial function**, *See under Heart*
Myocardial ischemia, *See under Heart*
Myopathy, *See under Heart*
- N**
- Naloxone**, *See under Antagonists, narcotic*
Narcotics, *See under Tolerance*
Nasogastric tubes, *See under Equipment*
Nerve stimulation, train-of-four, *See under Monitoring*
Nerve(s)
axon
and diffusion barriers about nerve (CO) [Fink & Cairns], 115
and diffusion barriers above nerve (CO) [Gissen], 114
axons
and differential effect of nerve fiber structure on block by local anesthetic (OA) [Fink & Cairns], 157
conduction
and differential effect of nerve fiber structure on block by local anesthetic (OA) [Fink & Cairns], 157
and diffusion barriers about nerve (CO) [Fink & Cairns], 115
and diffusion barriers above nerve (CO) [Gissen], 114
differential conduction
and differential margin of safety of conduction in individual peripheral axons (OA) [Fink & Cairns], 65
differential transmission
and differential margin of safety of conduction in individual peripheral axons (OA) [Fink & Cairns], 65
hypoglossal
palsy of, after bilateral carotid endarterectomy, airway obstruction in (CR) [Leville & Martinez], 220
responses of, to increasing depths of anesthesia with halothane or enflurane in vagotomized cats (OA) [Nishino, Kohchi, Yonezawa & Honda], 404
injury, *See under Complications*
phrenic
responses of, to increasing depths of anesthesia with halothane

- or enflurane in vagotomized cats (OA) [Nishino, Kohchi, Yonezawa & Honda], 404
- polyneuropathy**
succinylcholine and (CO) [Hagley & Griggs], 225
- recurrent laryngeal**
responses of, to increasing depths of anesthesia with halothane or enflurane in vagotomized cats (OA) [Nishino, Kohchi, Yonezawa & Honda], 404
- Neuromuscular junction**
action of verapamil at (CO) [Baraka], 234
- familial periodic paralysis**
anesthetic management in, for coronary artery bypass surgery (CR) [Rollman & Dickson], 526
- Neuromuscular relaxants**
- atracurium**
A. W. Von Hofmann and (CO) [Evans], 118
actions of, and reactions to (EV) [Standaert], 577
cerebral effects of, in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
metabolite of (laudanosine) increases minimum alveolar concentration of halothane (OA) [Shi, Fahey, Fisher, Miller, Canfell & Eger], 584
neuromuscular effects of, during halothane-nitrous oxide and enflurane-nitrous oxide anesthesia in humans (OA) [Rupp, McChristian & Miller], 16
and priming principle and open eye-full stomach (CO) [Baumgarten & Reynolds], 561
relationship of evoked electromyographic and mechanical responses following (CR) [Kopman], 208
- d-tubocurarine**
hypotension induced by, histamine H1 antagonist attenuates (CO) [Hatano, Fukuda, Arai, Tamai & Harioka], 731
interaction with other agents that block end-plate depolarization competitively (EV) [Taylor], 1
interaction with other agents that block end-plate depolarization competitively (OA) [Waud & Waud], 4
- gallamine**
and dose-dependent decline in blocking effect of (CO) [Ramzan], 226
interaction with other agents that block end-plate depolarization competitively (EV) [Taylor], 1
interaction with other agents that block end-plate depolarization competitively (OA) [Waud & Waud], 4
- metocurine**
interaction with other agents that block end-plate depolarization competitively (EV) [Taylor], 1
interaction with other agents that block end-plate depolarization competitively (OA) [Waud & Waud], 4
neuromuscular blockade induced by, resistance to, in patients receiving phenytoin (OA) [Ornstein, Matteo, Young & Diaz], 294
- pancuronium**
cerebral effects of, in halothane-anesthetized dogs (OA) [Lanier, Milde & Michenfelder], 589
in evaluation of response to train-of-four nerve stimulation (CR) [Viby-Mogensen, Jensen, Engbaek, Ørding, Skovgaard & Chraemmer-Jørgensen], 440
interaction with other agents that block end-plate depolarization competitively (EV) [Taylor], 1
interaction with other agents that block end-plate depolarization competitively (OA) [Waud & Waud], 4
- priming principle**
fine tuning of (CO) [Foldes], 560
is not new (CO) [Dundee], 569
and open eye-full stomach (CO) [Baumgarten & Reynolds], 561
- succinylcholine**
effects of, on respiratory and nonrespiratory muscle strength in humans (OA) [Williams & Bourke], 299
and halothane, *in vitro* interaction between, in human skeletal muscle (LR) [Fletcher & Rosenberg], 190
in open eye injuries (CO) [Bourke], 727
patients with Huntington's chorea may respond normally to (CO) [Costarino & Gross], 570
and polyneuropathy (CO) [Hagley & Griggs], 225
and priming principle and open eye-full stomach (CO) [Baumgarten & Reynolds], 561
- vecuronium**
blockade by, failure of metronidazole to alter (CR) [d'Hollander, Agoston, Capouet, Barvais, Bomblet & Esclen], 99
effects of age on dose-response curves for (CR) [O'Hara, Fragen & Shanks], 542
and fine tuning of priming principle (CO) [Foldes], 560
priming, caution on (CO) [Sosis], 460
and priming principle and open eye-full stomach (CO) [Baumgarten & Reynolds], 561
- Neuromuscular relaxants, See also under Interaction**
- Neuromuscular transmission**
stimulator, nerve
tactile and visual evaluation of response to (CR) [Viby-Mogensen, Jensen, Engbaek, Ørding, Skovgaard & Chraemmer-Jørgensen], 440
- Neurosurgical anesthesia, See under Anesthesia**
- Neurosurgical surgery, See under Surgery**
- Neurotransmitters**
- GABA**
induction of anesthesia with analog of, THIP (OA) [Cheng & Brunner], 147
- taurine**
inhibition of postanesthetic shivering in primates by (OA) [Murphy, Lipton, Loughran & Giesecke], 161
- Nitroglycerin, See under Pharmacology**
- Nitroprusside, See under Anesthetic techniques, induced hypotension**
- Nitrous oxide, See under Anesthetics, gases**
- Norepinephrine, See under Sympathetic nervous system, catecholamines**
- Nucleotide assay, See under Blood**

O

Obstetric anesthesia, *See under Anesthesia*
One lung ventilation, *See under Ventilation*

Operating rooms

contamination

- and health experiences of operating room personnel (CO) [Brodsky & Cohen], 461
- and health experiences of operating room personnel (CO) [Mazze & Lecky], 463

scavenging

- and health experiences of operating room personnel (CO) [Brodsky & Cohen], 461
- and health experiences of operating room personnel (CO) [Mazze & Lecky], 463

Ophthalmologic anesthesia, *See under Anesthesia*

Organizations

- American Board of Anesthesiology, ABA critical care medical examination, 721

- Association of American Medical Colleges (AAMC), symposium on medical informatics (SM), 346
- International Symposium on Preventable Anesthetic Morbidity and Mortality (SM), 349
- Society for Neurosurgical Anesthesia and Neurologic Supportive Care, annual meeting (SM), 345
- Outpatient anesthesia, See under Anesthesia**
- Oximeter, See under Equipment**
- Oxygen**
- in assessment of repeated intermittent hypoxia in closed chest dogs (OA) [Chen, Miller, Williams, Alexander, Domino, Marshall & Marshall], 608
 - consumption**
 - error in measurement of, due to anesthetic gases when using mass spectrometer (CO) [Beatty & Kay], 572
 - and perioperative hypothyroidism (CR) [Levelle, Jopling & Sklar], 195
 - delivery**
 - in closed circuit anesthesia, simple charcoal filter for (CO) [Baumgarten], 125
 - prolonged, in aircraft, portable semiclosed circuit for (CO) [Lanier & Weeks], 116
 - delivery systems**
 - potential failure in (CO) [Heine & Adams], 335
 - potential failure in (CO) [Riddle], 336
 - tracheal insufflation of O₂ (TRIO) at low flow rates sustains life for several hours (OA) [Slutsky, Watson, Leith & Brown], 278
 - and facination of hypoxic lung (EV) [Grover], 580
 - monitoring**
 - general anesthesia without (CO) [McGarrigle], 116
- Oxygen uptake, See under Measurement techniques**

P

- Pacemakers, See under Equipment; Heart**
- Pacing catheter, See under Equipment**
- Pain**
- experimental**
 - failure of naloxone to reverse nitrous oxide-induced depression of brain stem reflex in (OA) [Willer, Bergeret, Gaudy & Dauthier], 467
 - insensitivity**
 - congenital, with anhydrosis, anesthetic management of (CR) [Mitsutaka, Tsunoda, Hikawa, Sakahira & Matsumoto], 328
 - postcesarean delivery, epidural fentanyl for (CR) [Naulty, Datta, Ostheimer, Johnson & Burger], 694
 - postoperative**
 - epidural morphine depresses nociceptive flexion (OA) [Willer, Bergeret & Gaudy], 675
- Pancuronium, See under Neuromuscular relaxants**
- Paralysis**
- familial periodic, *See under Neuromuscular junction*
- Paraplegia, See under Complications**
- Patterns of ventilation, See under Ventilation**
- Pediatric anesthesia, See under Anesthesia**
- Pediatrics, See under Anesthesia**
- Pentobarbital, See under Anesthetics, intravenous**
- pH, See under Cerebrospinal fluid**
- Pharmacodynamics**
- metocurine**
 - neuromuscular blockade induced by, resistance to, in patients re-

ceiving phenytoin (OA) [Ornstein, Matteo, Young & Diaz], 294

midazolam

during acute hypovolemia (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140

Pharmacokinetics**bupivacaine**

in children following caudal anesthesia (CR) [Ecoffey, Desparmet, Maury, Berdeaux, Giudicelli & Saint-Maurice], 447

diffusion

barriers about nerve (CO) [Fink & Cairns], 115

barriers about nerve (CO) [Gissen], 114

fentanyl

in computer-assisted continuous infusions of during cardiac anesthesia (OA) [Alvis, Reves, Govier, Menkhaus, Henling, Spain & Bradley], 41

gallamine

and dose-dependent decline in blocking effect of (CO) [Ramzan], 226

laudanum

increases minimum alveolar concentration of halothane in rabbits (OA) [Shi, Fahey, Fisher, Miller, Canfell & Eger], 584

lidocaine**epidural**

and principal metabolites (OA) [Inoue, Suganuma, Echizen, Ishizaki, Kushida & Tomono], 304

metocurine

neuromuscular blockade induced by, resistance to, in patients receiving phenytoin (OA) [Ornstein, Matteo, Young & Diaz], 294

midazolam

during acute hypovolemia (OA) [Adams, Gelman, Reves, Greenblatt, Alvis & Bradley], 140

propranolol

and effect of halothane on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70

sufentanil

picogram levels of, detection of, by capillary gas chromatography (LR) [Weldon, Perry, Cork & Gandolfi], 684

thiopental

under conditions of long-term infusion (OA) [Turcant, Delhumeau, Premel-Cabic, Granry, Cottineau, Six & Allain], 50

Pharmacology**aminophylline**

and problems in interpreting gastric pressure measurements (CO) [Drummond], 727

and problems in interpreting gastric pressure measurements (CO) [Dureuil & Desmots], 728

Bicitra®

in outpatient anesthesia for prophylaxis against aspiration pneumonia (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378

doxazosin

in alpha₁-adrenergic blockade in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611

and cardiac alpha receptors and arrhythmias (EV) [Dresel], 582

droperidol

in alpha₁-adrenergic blockade in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611

and cardiac alpha receptors and arrhythmias (EV) [Dresel], 582

Fluorocarbons

simple charcoal filter for absorption of, in closed circuit anesthesia (CO) [Baumgarten], 125

- metoclopramide**
in outpatient anesthesia for prophylaxis against aspiration pneumonia (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378
- nitroglycerin**
in prevention of hypertensive response to tracheal intubation in severe preeclampsia (CR) [Hood, Dewan, James, Floyd & Bogard], 329
- pheochromocytoma**
possible pharmacologic trespass in (CO) [James], 338
possible pharmacologic trespass in (CO) [Uzoni & Leiman], 337
- sodium citrate**
in outpatient anesthesia for prophylaxis against aspiration pneumonia (OA) [Manchikanti, Grow, Colliver, Hadley & Holibein], 378
- verapamil**
antiarrhythmic effect of, may be independent of calcium channel blockade (CO) [Metz & Maze], 233
at neuromuscular junction (CO) [Baraka], 234
- Phenobarbital**, *See under* Hypnotics
- Phenytoin**, *See under* Interactions (drug)
- Pheochromocytoma**, *See under* Complications; Pharmacology; Surgery; Sympathetic nervous system
- Phrenic nerve**, *See under* Nerve
- Physics**
boiling point
and chemistry of halothane-enflurane mixtures applied to anesthesia (OA) [Korman & Ritchie], 152
fluid flow
correction of recurrent error on pressure drop (CO) [Topulos & Butler], 563
vapor pressure
and chemistry of halothane-enflurane mixtures applied to anesthesia (OA) [Korman & Ritchie], 152
- Placenta**
transfer of ephedrine across, does not affect neonatal outcome (CR) [Hughes, Ward, Levinson, Shnider, Wright, Gruenke & Craig], 217
- Plasma flow**, *See under* Liver
- Platelets**, *See under* Blood
- Plethysmography**, *See under* Measurement techniques
- Pneumonia**, *See under* Complications
- Pneumonitis**, *See under* Complications
- Polyneuropathy**, *See under* Nerves
- Polypeptides**
renin-angiotensin
in response to nitrous oxide or halothane in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
- Position**
and air embolism in achondroplastic dwarf (CR) [Katz & Mayhew], 205
sitting
cerebral venous sinus pressure in (OA) [Hibino & Matsuura], 184
- Positive end-expiratory pressure**, *See under* Ventilation
- Postoperative analgesia**, *See under* Analgesia
- Postoperative complications**, *See under* Complications
- Postoperative pain**, *See under* Pain
- Postural stability**, *See under* Monitoring
- Potassium**, *See under* Ions
- Potency**
anesthetic
ED₅₀
in atracurium during halothane-nitrous oxide and enflurane-nitrous oxide anesthesia in humans (OA) [Rupp, McChristian & Miller], 16
and effects of age on dose-response curves for vecuronium in adults (CR) [O'Hara, Fragen & Shanks], 542
- ED₉₀**
and effects of age on dose-response curves for vecuronium in adults (CR) [O'Hara, Fragen & Shanks], 542
- lidocaine in vitro**
and differential effect of nerve fiber structure on block by local anesthetic (OA) [Fink & Cairns], 157
- MAC**
in atracurium during halothane-nitrous oxide and enflurane-nitrous oxide anesthesia in humans (OA) [Rupp, McChristian & Miller], 16
and differential effect of nerve fiber structure on block by local anesthetic (OA) [Fink & Cairns], 157
- Preeclampsia**, *See under* Complications; Pregnancy
- Pregnancy**
and placental transfer of ephedrine does not affect neonatal outcome (CR) [Hughes, Ward, Levinson, Shnider, Wright, Gruenke & Craig], 217
- preeclampsia**
severe, nitroglycerin in preventing hypertensive response to tracheal intubation in (CR) [Hood, Dewan, James, Floyd & Bogard], 329
- Premedication**
atropine
in double-blind controlled study of pediatric preanesthetic sedation (CR) [Rita, Seleny, Mazurek & Rabins], 528
midazolam
in double-blind controlled study of pediatric preanesthetic sedation (CR) [Rita, Seleny, Mazurek & Rabins], 528
morphine
in double-blind controlled study of pediatric preanesthetic sedation (CR) [Rita, Seleny, Mazurek & Rabins], 528
postural stability after oral (CR) [Jansen, Wachowiak-Andersen, Münster-Swendsen & Valentin], 557
- Pressure**, *See under* Veins
- Priming principle**, *See under* Induction anesthesia; Neuromuscular relaxants
- Propranolol**, *See under* Pharmacokinetics; Sympathetic nervous system
- Propranolol**, *See under* Sympathetic nervous system, sympatholytic agents
- Prostaglandins**, *See under* Hormones
- Protamine**, *See under* Blood
- Psychologic responses**
maze performance
in mouse, differential effects of ketamine stereoisomers on (LR) [Garfield, Rocco & Naulty], 681
- Pulmonary artery catheters**, *See under* Equipment
- Pulmonary capillary wedge pressure**, *See under* Monitoring
- Pulmonary edema**, *See under* Complications
- Pulmonary vasoconstriction**, *See under* Lung(s)
- Pulse oximetry**, *See under* Equipment
- Pulse rate**, *See under* Heart
- Pumps**, *See under* Equipment

R

Receptors

- alpha adrenergic**
cardiac, and arrhythmias (EV) [Dresel], 582

- and epinephrine-arrhythmia threshold in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611
- baroreceptors**
and control of peripheral resistance in humans, effect of halothane anesthesia on (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668
- cardiopulmonary**
and control of peripheral resistance in humans, effect of halothane anesthesia on (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668
- GABA**
and induction of anesthesia with GABA analog, THIP (OA) [Cheng & Brunner], 147
- Records, See under Anesthesia**
- Recurrent laryngeal nerve, See under Nerve**
- Reflex control, See under Blood pressure**
- Reflexes**
baroreceptor
circulatory responses to, during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500
- baroreflexes**
and control of peripheral resistance in humans, effect of halothane anesthesia on (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668
- cardiopulmonary**
and control of peripheral resistance in humans, effect of halothane anesthesia on (OA) [Ebert, Kotrly, Vucins, Zainer & Kampine], 668
- coughing**
circulatory responses to, during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500
- Valsalva maneuver**
circulatory responses to, during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500
See also under Spinal cord; Sympathetic nervous system
- Regional anesthesia, See under Anesthetic techniques**
- Regional block, See under Anesthetic techniques**
- Regional metabolism, See under Metabolism**
- Renal failure, See under Kidney**
- Renin-angiotensin, See under Polypeptides**
- Reproductive toxicity, See under Toxicity**
- Residents, See under Education**
- Respiratory depression, See under Metabolism**
- Respiratory failure, See under Complications; Lung(s)**
- Respiratory monitoring, See under Monitoring**
- Reticular multi-unit activity, See under Brain**
- Retrobulbar anesthesia, See under Anesthetic techniques**
- Rigidity, See under Complications**
- Ro 15-1788, See under Antagonists, miscellaneous, benzodiazepines**
- S**
- Scavenging, See under Anesthetics; Operating room**
- Seizures, See under Brain**
- Septicemia, See under Infection**
- Shivering, See under Hypothermia**
- Shunt, See under Lung(s)**
- SIDS, See under Complications**
- Sitting, See under Position**
- Skin**
flush
isoflurane-fentanyl (CO) [DesMarteau], 126
- Society for Neurosurgical Anesthesia and Neurologic Supportive Care, See under Organizations**
- Sodium citrate, See under Pharmacology**
- Sodium nitroprusside, See under Anesthetic techniques, hypotension, induced**
- Sodium, See under Ions**
- Somatosensory evoked potential, See under Monitoring**
- Spasm, See under Arteries; Heart**
- Spinal anesthesia, See under Anesthesia; Anesthetic techniques**
- Spinal cord**
blood flow
regional
during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55
- drug distribution**
after intrathecal administration in rat and mouse (OA) [Gustafsson, Post, Edvardsen & Ramsay], 483
- glucose utilization**
regional
during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55
- metabolism**
regional
during spinal anesthesia with bupivacaine in rats (OA) [Crosby], 55
- metabolism, See under Metabolism**
- reflexes**
epidural morphine depresses, in postoperative pain (OA) [Willer, Bergeret & Gaudy], 675
- subarachnoid space**
redistribution of lidocaine and bupivacaine after injection in mice (OA) [Post, Freedman, Ramsay & Bonnevier], 410
- toxicity**
local anesthetics
in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
- Spinal narcotics, See under Anesthetic techniques**
- Splanchnic veins, See under Veins**
- Stethoscope, See under Equipment; Monitoring**
- Stimulator, nerve, See under Neuromuscular transmission**
- Stylet, See under Equipment**
- Subarachnoid space, See under Spinal cord**
- Subdural injection, See under Complications**
- Succinylcholine, See under Neuromuscular relaxants**
- Sudden infant death syndrome, See under Complications**
- Sufentanil, See under Analgesics; Anesthetics, intravenous; Pharmacokinetics**
- Surgery**
abdominal
and hemodynamic response to traction on abdominal mesentery (CR) [Seltzer, Ritter, Starsnic & Marr], 96
- cardiac**
elective, without pulmonary artery catheter monitoring (CR) [Bashein, Johnson, Davis & Ivey], 451
platelet alpha-adrenergic receptors are not down-regulated during (CR) [Zucker & Amory], 449
- cardiopulmonary bypass**
detection of air emboli in left heart by M-mode transesophageal echocardiography following (CR) [Oka, Moriwaki, Hong, Chuculate, Strom, Andrews & Frater], 109

- cardiovascular**
 - extracorporeal circulation in patient with heparin-induced thrombocytopenia (CO) [Ellison, Kappa, Fisher & Addonizio], 336
- laryngoscopy**
 - heart rate and blood pressure response to (CO) [Norris & Bay-singer], 560
- microlaryngeal**
 - assessment of tidal volume during Venturi jet ventilation for (CR) [Glenski, MacKenzie, Maragos & Southorn], 554
- neurosurgical**
 - air embolism in achondroplastic dwarf during (CR) [Katz & May-hew], 205
- pheochromocytoma**
 - possible pharmacologic trespass in (CO) [James], 338
 - possible pharmacologic trespass in (CO) [Uzoni & Leiman], 337
- Surgical anesthesia, See under Anesthesia**
- Sympathectomy, See under Heart**
- Sympathetic nervous system**
 - alpha-adrenergic receptors**
 - are not down-regulated during cardiopulmonary bypass (CR) [Zucker & Amory], 449
 - catecholamines**
 - acceleration of absorption of, by lidocaine (CR) [Veda, Hirakawa & Mori], 717
 - in alpha₁-adrenergic blockade in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611
 - and cardiac alpha receptors and arrhythmias (EV) [Dresel], 582
 - circulatory responses to, during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500
 - epinephrine**
 - in response to nitrous oxide or halothane in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
 - and extrarenal potassium regulation (CO) [McIntyre, Knopes & Ossey], 230
 - during induced hypotension: comparison between nitroprusside and ATP (CO) [Bloor, Fukunaga, Ma, Flacke, Ritter, Etten & Olewine], 517
 - measurement of, in anesthetic management of insensitivity to pain with anhydrosis (CR) [Mitaka, Tsunoda, Hikawa, Sakahira & Matsumoto], 328
 - norepinephrine**
 - in response to nitrous oxide or halothane in hypovolemic swine (OA) [Weiskopf & Bogetz], 509
 - epidural anesthesia**
 - and distribution of blood in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
 - epinephrine**
 - acceleration of absorption of, by lidocaine (CR) [Veda, Hirakawa & Mori], 717
 - in alpha₁-adrenergic blockade in halothane-anesthetized dogs (OA) [Maze, Hayward & Gaba], 611
 - and cardiac alpha receptors and arrhythmias (EV) [Dresel], 582
 - pheochromocytoma**
 - possible pharmacologic trespass in (CO) [James], 338
 - possible pharmacologic trespass in (CO) [Uzoni & Leiman], 337
 - reflexes**
 - circulatory responses to, during acute cardiac sympathectomy by epidural blockade (OA) [Takeshima & Dohi], 500

- sympatholytic agents**
 - propranolol**
 - and effect of halothane on drug disposition (OA) [Reilly, Wood, Koshakji & Wood], 70
 - and intraoperative coronary spasm in young woman (CO) [Vitez], 567
 - sympathomimetic agents**
 - ephedrine**
 - placental transfer of, does not affect neonatal outcome (CR) [Hughes, Ward, Levinson, Shnider, Wright, Gruenke & Craig], 217
- Sympatholytic agents, See under Sympathetic nervous system**
- Sympathomimetic agents, See under Sympathetic nervous system**
- Syringes, See under Equipment**

T

- Taurine, See under Neurotransmitters**
- Temperature**
 - regulation**
 - in inhibition of postanesthetic shivering in primates (OA) [Murphy, Lipton, Loughran & Giesecke], 161
- Tetracaine, See under Anesthetics, local**
- Thiamylal, See under Anesthetics, intravenous**
- Thiopental, See under Anesthetics, intravenous; Pharmacokinetics**
- THIP, See under Anesthetics, intravenous**
- Thomas, S. J. (ed.)**
 - Manual of Cardiac Anesthesia* (BR), 240
- Thoracic anesthesia, See under Anesthesia**
- Thoracic veins, See under Veins**
- Thoracoabdominal dimensions, See under Ventilation**
- Thyroid hormones, See under Hormones**
- Tidal volume, See under Monitoring**
- Tolerance**
 - narcotics**
 - and acute tolerance to fentanyl during anesthesia in dogs (OA) [Askitopoulou, Whitwam, Al-Khudhairi, Chakrabarti, Bower & Hull], 255
- Toxicity**
 - anesthetics**
 - and health experiences of operating room personnel (CO) [Bro-dsky & Cohen], 461
 - and health experiences of operating room personnel (CO) [Mazze & Lecky], 463
 - bupivacaine**
 - in pregnant and nonpregnant ewes (OA) [Morishima, Pedersen, Finster, Hiraoka, Tsuji, Feldman, Arthur & Covino], 134
 - fetal**
 - in mice chronically exposed to isoflurane (OA) [Mazze], 663
 - hepatic**
 - and unexplained hepatitis following halothane (RA) [Stock & Strunin], 424
 - laudanosine**
 - following atracurium administration (EV) [Standaert], 577
 - local anesthetics**
 - and resuscitation in lidocaine- or bupivacaine-infused cats (OA) [Chadwick], 385
 - metabolites**
 - of atracurium (EV) [Standaert], 577
 - reproductive**
 - in mice chronically exposed to isoflurane (OA) [Mazze], 663

- spinal cord**
 local anesthetics
 in rabbits (OA) [Ready, Plumer, Haschke, Austin & Sumi], 364
 subanesthetic concentrations
 in mice chronically exposed to isoflurane (OA) [Mazze], 663
- Trachea, See under Lung(s)**
- Tracheal rupture, See under Complications**
- Tracheostomy, See under Airway; Ventilation**
- Train-of-four nerve stimulation, See under Monitoring**
- Transfusion**
 stored blood
 respiratory failure secondary to (CR) [Ebert, Grimes & Niemann], 104
- Tubes, See under Equipment**
- V**
- Valsalva maneuver, See under Reflexes**
- Vapor pressure, See under Physics**
- Vapor pressure-composition data, See under Chemistry**
- Vaporizers, See under Equipment**
- Vascular resistance, See under Lung(s)**
- Vasoconstriction, See under Lung(s)**
- Vecuronium, See under Neuromuscular relaxants**
- Veins**
 capacitance vessels
 distribution of blood in, during peridural anesthesia in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
 dural sinus
 pressure, in seated dogs (OA) [Hibino & Matsuura], 184
 jugular
 complications
 in catheterization (CO) [Ghani & Berry], 723
 splanchnic
 distribution of blood in, during peridural anesthesia in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
 thoracic
 distribution of blood in, during peridural anesthesia in supine humans (OA) [Arndt, Höck, Stanton-Hicks & Stühmeier], 616
 venous pressure
 cerebral sinus, in seated dogs (OA) [Hibino & Matsuura], 184
- Venous catheters, See under Equipment**
- Ventilation**
 apnea
 postoperative, in premature infant, naloxone reversal of (CR) [Beilin, Vatahsky, Aronson & Weinstock], 317
 and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20
 tracheal insufflation of O₂ (TRIO) at low flow rates sustains life for several hours (OA) [Slutsky, Watson, Leith & Brown], 278
 apneic oxygenation
 tracheal insufflation of O₂ (TRIO) at low flow rates sustains life for several hours (OA) [Slutsky, Watson, Leith & Brown], 278
 bronchoscopy
 plastic transparent dressing in (CO) [Benumof], 334
 carbon dioxide response
 following axillary blockade with bupivacaine (OA) [Negre, Labaille, Samii & Noviant], 401
 effects of succinylcholine on, in humans (OA) [Williams & Bourke], 299
 following intravenous and epidural lidocaine (OA) [Labaille, Clergue, Samii, Ecoffey & Berdeaux], 179
 continuous positive-pressure
 additional inspiratory work in intubated patients breathing with (CR) [Viale, Annat, Bertrand, Godard & Motin], 536
 continuous positive-pressure breathing
 to breathe or not to breathe (EV) [Kirby], 578
 inspiratory work with and without, in acute respiratory failure (OA) [Katz & Marks], 598
 failure
 and continuous positive airway pressure: to breathe or not to breathe (EV) [Kirby], 578
 inspiratory work with and without continuous positive airway pressure in (OA) [Katz & Marks], 598
 secondary to homologous blood transfusion (CR) [Ebert, Grimes & Niemann], 104
 gas exchange
 tracheal insufflation of O₂ (TRIO) at low flow rates sustains life for several hours (OA) [Slutsky, Watson, Leith & Brown], 278
 high-frequency jet
 evaluation of, in bronchopleural fistulas by quantitation of airleak (CR) [Albelda, Hansen-Flaschen, Taylor, Lanken & Wollman], 551
 factors influencing pulmonary volumes and CO₂ elimination during (OA) [Rouby, Simonneau, Benhamou, Sartene, Sardnal, Deriaz, Duroux & Viars], 473
 mechanical
 and analyzer for in-line measurement of expiratory sulfur hexafluoride concentration (LR) [Jonmarker, Castor, Drefeldt & Werner], 84
 sulfur hexafluoride, measurement of functional residual capacity by (LR) [Jonmarker, Jansson, Jonson, Larsson & Werner], 89
 one-lung
 malposition of left-sided double-lumen endobronchial tubes (CO) [Hirsch & Smith], 563
 pulse oximetry during (CR) [Brodsky, Shulman, Swan & Mark], 212
 pattern
 and pronounced, episodic oxygen desaturation in postoperative period (OA) [Catley, Thornton, Jordan, Lehane, Royston & Jones], 20
 positive end-expiratory pressure
 transesophageal echocardiographic dimensional analysis of cardiac chambers during (OA) [Terai, Uenishi, Sugimoto, Shimazu, Yoshioka & Sugimoto], 640
 thoracoabdominal dimensions
 and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Drummond], 729
 and possible pitfalls in calculating thoracic and abdominal volumes (CO) [Hedenstierna], 730
 tracheostomy
 pediatric face mask as useful aid in lung ventilation in (CO) [Aghdami, Ellis & Rah-], 335
 Venturi jet
 for microlaryngeal surgery, assessment of tidal volume and de-

tection of hyperinflation during (CR) [Glenski, MacKenzie, Maragos & Southorn], 554

work of breathing

with and without continuous positive airway pressure in acute respiratory failure (OA) [Katz & Marks], 598

and continuous positive airway pressure: to breathe or not to breathe (EV) [Kirby], 578

in intubated patients breathing with continuous positive airway pressure systems (CR) [Viale, Annat, Bertrand, Godard & Motin], 536

Ventilators, See under Equipment

Ventilatory response, See under Carbon dioxide

Venturi jet, See under Ventilation

Verapamil, See under Pharmacology

W

Washout, See under Measurement technique

Wax, See under Ear

Weakness, See under Complications

Wedge pressure, See under Monitoring

Work of breathing, See under Ventilation

AUTHOR INDEX TO VOLUME 63

A

- Abouleish, E., Ali, V., Tang, R. A.: Benign Intracranial Hypertension and Anesthesia for Cesarean Section, 705
- Adams, P., Gelman, S., Reves, J. G., Greenblatt, D. J., Alvis, J. M., Bradley, E.: Midazolam Pharmacodynamics and Pharmacokinetics during Acute Hypovolemia, 140
- Adams, P. M., *see* Heine, J. F.
- Addonizio, V. P., Jr., *see* Ellison, N.
- Adkinson, N. F., *see* Shayevitz, J. R.
- Adragna, M. G., *see* Lee, M. B.
- Aghdami, A., Ellis, R., Rah, K. H.: A Pediatric Face Mask Can Be a Useful Aid in Lung Ventilation on Postlaryngectomy Patients, 335
- Agoston, S., *see* d'Hollander, A.
- Albelda, S. M., Hansen-Flaschen, J. H., Taylor, E., Lanken, P. N., Wollman, H.: Evaluation of High-frequency Jet Ventilation in Patients with Bronchopleural Fistulas by Quantitation of the Airleak, 551
- Albrecht, R. F., *see* Newman, L. M.
- Aldrete, J. A.: Narcotic Anesthesia: Do the Benefits Justify the Cost?, 565
- Aldrete, J. A., Wright, A. J.: Concerning the Acceptability of Awareness during Surgery, 460
- Alexander, C. M., *see* Chen, L.
- Ali, V., *see* Abouleish, E.
- Al-Khudhairi, D., *see* Askitopoulou, H.
- Allain, P., *see* Turcant, A.
- Alvis, J. M., Reves, J. G., Govier, A. V., Menkhaus, P. G., Henling, C. E., Spain, J. A., Bradley, E.: Computer-assisted Continuous Infusions of Fentanyl during Cardiac Anesthesia: Comparison with a Manual Method, 41
- Alvis, J. M., *also see* Adams, P.
- Amory, D. W., *see* Zucker, J. R.
- Anderson, J. K., *see* Hansbrough, J. F.
- Anderson, S., *see* Newman, L. M.
- Andrews, I. C., *see* Oka, Y.
- Annat, G., *see* Viale, J. P.
- Arai, T., *see* Hatano, Y.
- Arakawa, K., *see* Benson, K. T.
- Arndt, J. O., Höck, A., Stanton-Hicks, M., Stühmeier, K.-D.: Peridural Anesthesia and the Distribution of Blood in Supine Humans, 616
- Aronson, H. B., *see* Beilin, B.
- Arthur, G. R., *see* Morishima, H. O.
- Askitopoulou, H., Whitam, J. G., Al-Khudhairi, D., Chakrabarti, M., Bower, S., Hull, C. J.: Acute Tolerance to Fentanyl during Anesthesia in Dogs, 255
- Austin, E., *see* Ready, L. B.

B

- Bainton, C. R., *see* Shapiro, W. A.
- Baraka, A.: Action of Verapamil at the Neu-

- romuscular Junction: Prejunctional or Postjunctional?, 234
- Bartle, E. J., *see* Hansbrough, J. F.
- Barvais, L., *see* d'Hollander, A.
- Bashein, G., Johnson, P. W., Davis, K. B., Ivey, T. D.: Elective Coronary Bypass Surgery without Pulmonary Artery Catheter Monitoring, 451
- Bashein, G., MacEvoy, B.: Anesthesia Ventilators Should Have Adjustable High-pressure Alarms, 231
- Bashein, G., Robertson, H. T., Kennedy, W. F., Jr.: Persistent Phrenic Nerve Paresis Following Interscalene Brachial Plexus Block, 102
- Batjer, H., *see* Bristow, A.
- Bauman, J. M., *see* Middaugh, R. E.
- Baumgarten, R. K.: Simple Charcoal Filter for Closed Circuit Anesthesia, 125
- Baumgarten, R. K., Reynolds, W. J.: Early Detection of Malignant Hyperthermia, 123
- Baumgarten, R. K., Reynolds, W. J.: The Priming Principle and the Open Eye—Full Stomach, 561
- Baysinger, C. L., *see* Norris, T. J.
- Beattie, C., *see* Harris, A. P.
- Beatty, P., Kay, B.: Error in Measurement of Oxygen Uptake due to Anesthetic Gases when Using a Mass Spectrometer, 572
- Bedford, R. F., *see* Grosslight, K.
- Behar, S., *see* Peng, A. T. C.
- Beilin, B., Vatahsky, E., Aronson, H. B., Weinstock, M.: Naloxone Reversal of Postoperative Apnea in a Premature Infant, 317
- Belani, B., *see* Salem, M. R.
- Benhamou, D., *see* Rouby, J. J.
- Benson, K. T., Dozier, N. J., Goto, H., Arakawa, K.: Anesthesia for Cesarean Section in Patient with Spondylometepiphyseal Dysplasia, 548
- Benumof, J. L.: Another Use for the Plastic Transparent Dressing, 334
- Berberich, J. J., *see* Ellis, R.
- Berdeaux, A., *see* Ecoffey, C.; *also see* Labaille, T.
- Bergeret, S., *see* Willer, J.-C.
- Berry, A. J., *see* Ghani, G. A.
- Berthelsen, P., Prytz, S., Jacobsen, E.: Two-stage Fiberoptic Nasotracheal Intubation in Infants: A New Approach to Difficult Pediatric Intubation, 457
- Bertrand, O., *see* Viale, J. P.
- BianRosa, J. J., *see* Schwartz, J. J.
- Blancato, L. S., *see* Peng, A. T. C.
- Bloor, B. C., Fukunaga, A. F., Ma, C., Flacke, W. E., Ritter, J., Van Etten, A., Olewine, S.: Myocardial Hemodynamics during Induced Hypotension: A Comparison between Sodium Nitroprusside and Adenosine Triphosphate, 517
- Boarini, D. J., *see* Warner, D. S.
- Bogard, T. D., *see* Hood, D. D.

- Bogetz, M. S., *see* Weiskopf, R. B.
- Bomblet, J. P., *see* d'Hollander, A.
- Bonnet, F., *see* Chauvin, M.
- Bonnevier, A., *see* Post, C.
- Bourke, D. L.: Open Eye Injuries, 727
- Bourke, D. L., Katz, J., Tonneson, A.: Nebulized Anesthesia for Awake Endotracheal Intubation, 690
- Bourke, D. L., *see* Williams, J. P.
- Bower, S., *see* Askitopoulou, H.
- Bradley, E., *see* Adams, P.
- Bradley, E., *see* Alvis, J. M.
- Bready, L. L., Orr, M. D., Mote, M. A.: Drug Security for Emergency Surgical Procedures, 225
- Brett, C. M., *see* Fisher, D. M.
- Bristow, A., Batjer, H., Chow, V., Rosenstein, J.: Air Embolism via a Pulmonary Artery Catheter Introducer, 340
- Brodsky, J. B., Cohen, E. N.: Health Experiences of Operating Room Personnel, 461
- Brodsky, J. B., Shulman, M. S., Swan, M., Mark, J. B. D.: Pulse Oximetry during One-lung Ventilation, 212
- Brown, R., *see* Slutsky, A. S.
- Brumback, R. A., Gerst, J.: The Neuromuscular Junction, 240
- Brunner, E. A., *see* Cheng, S.-C.
- Bubela, C., *see* Fine, P. G.
- Buffington, C. W.: Hemodynamic Determinants of Ischemic Myocardial Dysfunction in the Presence of Coronary Stenosis in Dogs, 651
- Burger, G. A., *see* Naulty, J. S.
- Butler, J. P., *see* Topulos, G. P.
- Butterworth, J. F., IV, *see* Malinow, A. M.

C

- Cairns, A. M., *see* Fink, B. R.
- Canfell, C., *see* Shi, W.-Z.
- Capouet, V., *see* d'Hollander, A.
- Carlson, S. G., *see* Hodes, J. E.
- Carlsson, C., *see* Eintrei, C.; *also see* Keykhah, M. M.
- Carter, W. H., *see* Hansbrough, J. F.
- Castor, R., *see* Jonmarker, C.
- Catley, D. M., Thornton, C., Jordan, C., Lehane, J. R., Royston, D., Jones, J. G.: Pronounced, Episodic Oxygen Desaturation in the Postoperative Period: Its Association with Ventilatory Pattern and Analgesic Regimen, 20
- Cawthon, M. A., *see* Middaugh, R. E.
- Chadwick, H. S.: Toxicity and Resuscitation in Lidocaine- or Bupivacaine-infused Cats, 385
- Chakrabarti, M., *see* Askitopoulou, H.
- Chang, J., Fish, K. J.: Acute Respiratory Arrest and Rigidity after Anesthesia with Sufentanil: A Case Report, 710
- Chauvin, M., Bonnet, F., Montebault, C.,

- Lafay, M., Curet, P., Viars, P.: Hepatic Plasma Flow during Sodium Nitroprusside-induced Hypotension in Humans, 287
- Chen, J.-W., Shamsaskin, R. G., Saunders, V. W., Jr.: An Esophageal Stethoscope Cuff Torn by K-wire, 723
- Chen, L., Miller, F. L., Williams, J. J., Alexander, C. M., Domino, K. B., Marshall, C., Marshall, B. E.: Hypoxic Pulmonary Vasoconstriction is Not Potentiated by Repeated Intermittent Hypoxia in Closed Chest Dogs, 608
- Cheng, S.-C., Brunner, E. A.: Inducing Anesthesia with a GABA Analog, THIP, 147
- Chilcoat, R. T.: Hazards of Mis-filled Vaporizers: Summary Tables, 726
- Chow, V., see Bristow, A.
- Chraemmer-Jorgensen, B., see Viby-Mogensen, J.
- Chuculate, C., see Oka, Y.
- Clark, R. B.: The Origination of Common Eponyms Used in Anesthesia, 338
- Clements, F. M., see Moon, R. E.
- Clergue, F., see Labaille, T.
- Cohen, E. N., see Brodsky, J. B.
- Colliver, J. A., see Manchikanti, L.
- Colohan, A. R., see Grosslight, K.
- Cook, D. R., see Schieber, R. A.
- Cooper, P. S., see Sosis, M.
- Cork, R. C., see Weldon, S. T.; also see Wigum, D. C.
- Costantino, A., Gross, J. B.: Patients with Huntington's Chorea May Respond Normally to Succinylcholine, 570
- Cottineau, C., see Turcant, A.
- Covino, B. G., see Morishima, H. O.
- Craig, J. C., see Hughes, S. C.
- Crosby, G.: Local Spinal Cord Blood Flow and Glucose Utilization during Spinal Anesthesia with Bupivacaine in Conscious Rats, 55
- Cucchiara, R. F., Seward, J. B., Nishimura, R. A., Nugent, M., Faust, R. J.: Identification of Patent Foramen Ovale during Sitting Position Craniotomy by Transesophageal Echocardiography with Positive Airway Pressure, 107
- Culligan, J. D., see Thomson, I. R.
- Curet, P., see Chauvin, M.
- D**
- Datta, S., see Malinow, A. M.; also see Naulty, J. S.
- Dauthier, C., see Willer, J.-C.
- Davis, K. B., see Bashein, G.
- Delhumeau, A., see Turcant, A.
- de Moes, D., see Ruigrok, T. J. C.
- Deriaz, H., see Rouby, J. J.
- DesMarteau, J. K.: Isoflurane-Fentanyl Flush, 126
- Desmonts, J. M., see Dureuil, B.
- Desparmet, J., see Ecoffey, C.
- Dewan, D. M., see Hood, D. D.
- d'Hollander, A., Agoston, S., Capouet, V., Barvais, L., Bomblet, J. P., Esselen, M.:

- Failure of Metronidazole to Alter a Vecuronium Neuromuscular Blockade in Humans, 99
- Diaz, J., see Ornstein, E.
- Dickson, C. M., see Rollman, J. E.
- Dierdorf, S. F., see Moorthy, S. S.
- DiNardo, J. A., Satwicz, P. R.: Simplified Vasoactive Drug Infusion, 230
- Doenicke, A., see Lorenz, W.
- Dohi, S., see Takeshima, R.
- Dolan, P. F.: Butorphanol and Biliary Spasm, 340
- Domino, K. B., see Chen, L.
- Dorman, F., Sumner, E., Spitz, L.: Fatal Intraoperative Tumor Embolism in a Child with Hepatoblastoma, 692
- Downey, L., Slater, E. M., Zeitlin, G. L.: Differentiating Interstitial Fluid from Cerebral Spinal Fluid, 120
- Dozier, N. J., see Benson, K. T.
- Drefeldt, B., see Jonmarker, C.
- Dresel, P. E.: Cardiac Alpha Receptors and Arrhythmias, 582
- Drummond, G. B.: Possible Pitfalls in Calculating Thoracic and Abdominal Volumes, 729
- Drummond, G. B.: Problems in Interpreting Gastric Pressure Measurements, 727
- Drummond, J. C., Todd, M. M., U. H. S.: The Effect of High Dose Sodium Thiopental on Brain Stem Auditory and Median Nerve Somatosensory Evoked Responses in Humans, 249
- Dundee, J. W.: Using a Priming Dose of Relaxant Is Not New, 569
- Dunn, C. M., Maltry, D. E., Eggers, G. W. N., Jr.: Value of Mass Spectrometry in Early Diagnosis of Malignant Hyperthermia, 333
- Dureuil, B., Desmonts, J. M.: Reply, 728
- Duroux, P., see Rouby, J. J.

E

- Ebert, J. P., Grimes, B., Niemann, K. M. W.: Respiratory Failure Secondary to Homologous Blood Transfusion, 104
- Ebert, T. J., Kotly, K. J., Vucina, E. J., Pattison, C. Z., Kampine, J. P.: Halothane Anesthesia Attenuates Cardiopulmonary Baroreflex Control of Peripheral Resistance in Humans, 668
- Ebertz, J. M., see Hirshman, C. A.
- Echizen, H., see Inoue, R.
- Ecoffey, C., Desparmet, J., Maury, M., Berdeux, A., Giudicelli, J.-F., Saint-Maurice, C.: Bupivacaine in Children: Pharmacokinetics Following Caudal Anesthesia, 447
- Ecoffey, C., see Labaille, T.
- Edelstein, R. A., see Hirshman, C. A.
- Edwards, B., see Gustafsson, L. L.
- Edwards, L., see Lee, M. B.
- Eger, E. I., II: Nitrous Oxide, 466
- Eger, E. I., II, see Shi, W.-Z.
- Eggers, G. W. N., Jr., see Dunn, C. M.
- Eintrei, C., Lesznowski, W., Carlsson, C.: Local Application of ¹³³Xenon for Measure-

- ment of Regional Cerebral Blood Flow (rCBF) during Halothane, Enflurane, and Isoflurane Anesthesia in Humans, 391
- Elliott, L., see Hansbrough, J. F.
- Ellis, R., Berberich, J. J., Ettigi, P., Kwentus, J. A.: Adrenocortical Function Following Multiple Anesthesia Inductions with Etomidate, 571
- Ellis, R., see Aghdami, A.
- Ellison, N., Kappa, J. R., Fisher, C. A., Adonizio, V. P., Jr.: Extracorporeal Circulation in a Patient with Heparin-induced Thrombocytopenia, 336
- Enderby, G. E. H.: Hypotensive Anaesthesia, 574
- Engbaek, J., see Viby-Mogensen, J.
- Engel, L., Paiva, M.: Gas Mixing and Distribution in the Lung, 574
- Englebach, I., see Keykhah, M. M.
- Esselen, M., see d'Hollander, A.
- Ettigi, P., see Ellis, R.
- Evans, D. H.: Who Was the Man, A. W. Von Hofmann?, 118

F

- Fahey, M. R., see Shi, W.-Z.
- Faust, R. J., see Cucchiara, R. F.
- Favre, H., see Gamulin, Z.
- Feldman, H. S., see Morishima, H. O.
- Ferrara, T. P., see Salem, M. R.
- Fine, P. G., Bubela, C.: Chylothorax Following Celiac Plexus Block, 454
- Fink, B. R.: Leaves and Needles: The Introduction of Surgical Local Anesthesia, 77
- Fink, B. R., Cairns, A. M.: Differential Effect of Nerve Fiber Structure on Block by Local Anesthetic, 157
- Fink, B. R., Cairns, A. M.: Differential Margin of Safety in Conduction in Individual Peripheral Axons, 65
- Fink, B. R., Cairns, A. M.: Reply, 115
- Finster, M., see Morishima, H. O.
- Fish, K. J., see Chang, J.
- Fisher, C. A., see Ellison, N.
- Fisher, D. M., Robinson, S., Brett, C. M., Perin, G., Gregory, G. A.: Comparison of Enflurane, Halothane, and Isoflurane for Diagnostic and Therapeutic Procedures in Children with Malignancies, 647
- Fisher, D. M., see Glaser, R.; also see Shi, W.-Z.
- Flacke, W. E., see Bloor, B. C.
- Fletcher, J. E., Rosenberg, H.: *In Vitro* Interaction between Halothane and Succinylcholine in Human Skeletal Muscle: Implications for Malignant Hyperthermia and Masseter Muscle Rigidity, 190
- Floyd, H. M., see Hood, D. D.
- Folde, F. F.: Fine Tuning the Priming Principle, 560
- Follette, J. W., LoCascio, J. A.: Bilateral Amaurosis Following Unilateral Retrobulbar Block, 237
- Forster, A., see Gamulin, Z.
- Foster, R., see Grosslight, K.

Fragen, R. J., *see* O'Hara, D. A.
Frankhouser, P. L.: Reply, 341
Frater, R. W. M., *see* Oka, Y.
Freedman, J., *see* Post, C.
Fukuda, K., *see* Hatano, Y.
Fukunaga, A. F., *see* Bloor, B. C.

G

Gaba, D. M., *see* Maze, M.
Gammage, G. W., *see* Wagner, D. L.
Gamulin, Z., Forster, A., Favre, H.: Reply, 224
Gandolfi, A. J., *see* Weldon, S. T.; *also see* Wig-gum, D. C.
Garcia, C., *see* Goldberg, M.
Garfield, J. M., Rocco, J., Naulty, J. S.: Dif-ferential Effects of Ketamine Stereoisomers on Maze Performance in the Mouse, 681
Gaudy, J.-H., *see* Willer, J.-C.
Gaynor, R. L., *see* Shapiro, W. A.
Gelman, S., Navar, L. G.: Infrarenal Aortic Cross-clamping and Renal Hemodynamics, 223
Gelman, S., *see* Adams, P.
Gerbo, B., *see* Jackson, S. H.
Gerst, J., *see* Brumback, R. A.
Gertel, M., *see* Shapira, Y.
Ghani, G. A., Berry, A. J.: Hazard from Left External Jugular Vein Catheterization Re-visited, 723
Giesecke, A. H., Jr., *see* Murphy, M. T.
Gissen, A. J.: In Support of Diffusion Barriers About Nerve, 114
Giudicelli, J.-F., *see* Ecoffey, C.
Glaser, R., Fisher, D. M.: Respiratory Mon-itoring for Children Undergoing Radiation Therapy, 123
Glenski, J. A., MacKenzie, R. A., Maragos, N. E., Southern, P. A.: Assessing Tidal Volume and Detecting Hyperinflation dur-ing Venturi Jet Ventilation for Microlar-yngeal Surgery, 554
Godard, J., *see* Viale, J. P.
Gold, M. I.: Use of Petroleum Jelly, 339
Goldberg, M., Ishak, S., Garcia, C., McKenna, J.: Postoperative Rigidity Following Sufen-tanil Administration, 199
Goto, H., *see* Benson, K. T.
Govier, A. V., *see* Alvis, J. M.
Granry, J.-C., *see* Turcant, A.
Gravenstein, N., *see* Theisen, G. J.
Greenblatt, D. J., *see* Adams, P.; *also see* Lau-ven, P. M.
Gregory, G. A.: Pediatric Anesthesia, 240
Gregory, G. A., *see* Fisher, D. M.
Griggs, W. M., *see* Hagley, S. R.
Grimes, B., *see* Ebert, J. P.
Gross, J. B., *see* Costantino, A.
Grosslight, K., Foster, R., Colohan, A. R., Bedford, R. F.: Isoflurane for Neuroan-es-thesia: Risk Factors for Increases in Intra-cranial Pressure, 533
Grover, R. F.: The Fascination of the Hypoxic Lung, 580
Grow, J. B., *see* Manchikanti, L.

Gruenke, L. D., *see* Hughes, S. C.
Gurmarnik, S.: Can Traditional Intubation Be Modified?, 464
Gurtner, G. H., *see* Shayevitz, J. R.
Gustafsson, L. L., Post, C., Edvardsen, B., Ramsay, C. H.: Distribution of Morphine and Meperidine after Intrathecal Admin-istration in Rat and Mouse, 483

H

Hadley, C. H., *see* Manchikanti, L.
Hagley, S. R., Griggs, W. M.: Succinylcholine and Polyneuropathy, 225
Hamilton, R. C.: Brain Stem Anesthesia fol-lowing Retrobulbar Blockade, 688
Hanifin, J. M., *see* Hirshman, C. A.
Hansbrough, J. F., Zapata-Sirvent, R. L., Bar-tle, E. J., Anderson, J. K., Elliott, L., Man-sour, M. A., Carter, W. H.: Alterations in Splenic Lymphocyte Subpopulations and Increased Mortality from Sepsis Following Anesthesia in Mice, 267
Hansen-Flaschen, J. H., *see* Albelda, S. M.
Harioka, T., *see* Hatano, Y.
Harp, J. R., *see* Keykhah, M. M.
Harris, A. P., Miller, C. F., Beattie, C., Ro-senfeld, G. I., Rogers, M. C.: The Slowing of Sinus Rhythm during Thermodilution Cardiac Output Determination and the Ef-fect of Altering Injectate Temperature, 540
Hartrick, C. J., *see* Pither, C. E.
Hartshorne, M. F., *see* Middaugh, R. E.
Hartwell, B., *see* Malinow, A. M.
Haschke, R. H., *see* Ready, L. B.
Haselby, K. A., *see* Moorthy, S. S.
Hatano, Y., Fukuda, K., Arai, T., Tamai, S., Harioka, T.: Histamine H1 Antagonist Alone Attenuates d-Tubocurarine-induced Hypotension, 730
Haynes, D. H., Kirkpatrick, A. F.: Ultra-long-duration Local Anesthesia Produced by In-jection of Lecithin-coated Methoxyflurane Microdroplets, 490
Hayward, E., Jr., *see* Maze, M.
Hedenstierna, G.: Reply, 730
Heine, J. F., Adams, P. M.: Another Potential Failure in an Oxygen Delivery System, 335
Henling, C. E., *see* Alvis, J. M.
Herr, G., *see* Sosis, M.
Heyman, H. J., *see* Salem, M. R.
Hibino, H., Matsuura, M.: Cerebral Venous Sinus Pressure in Seated Dogs: Impact of PEEP, Cervical Venous Compression, and Abdominal Compression, 184
Hikawa, Y., *see* Mitaka, C.
Hirakawa, M., *see* Ueda, W.
Hiraoka, H., *see* Morishima, H. O.
Hirsch, N. P., Smith, G. B.: Malposition of Left-sided Double-lumen Endobronchial Tubes, 563
Hirshman, C. A., Edelstein, R. A., Ebert, J. M., Hanifin, J. M.: Thiobarbiturate-induced Histamine Release in Human Skin Mast Cells, 353
Höck, A., *see* Arndt, J. O.

Hodes, J. E., Soncrant, T. T., Larson, D. M., Carlson, S. G., Rapoport, S. I.: Selective Changes in Local Cerebral Glucose Util-ization Induced by Phenobarbital in the Rat, 633
Hoffman, W. E., *see* Newman, L. M.
Hohlbein, L. J., *see* Manchikanti, L.
Honda, Y., *see* Nishino, T.
Hong, Y., *see* Oka, Y.
Hood, D. D., Dewan, D. M., James, F. M., III, Floyd, H. M., Bogard, T. D.: The Use of Nitroglycerin in Preventing the Hyper-tensive Response to Tracheal Intubation in Severe Preeclampsia, 329
Hughes, S. C., Ward, M. G., Levinson, G., Shneider, S. M., Wright, R. G., Gruenke, L. D., Craig, J. C.: Placental Transfer of Ephedrine Does Not Affect Neonatal Out-come, 217
Hull, C. J., *see* Askitopoulou, H.

I

Ibarra, E., Lees, D. E.: Mass Spectrometer Monitoring of Patients with Regional Anesthesia, 572
Inoue, R., Suganuma, T., Echizen, H., Ishi-zaki, T., Kushida, K., Tomono, Y.: Plasma Concentrations of Lidocaine and Its Prin-cipal Metabolites during Intermittent Epi-dural Anesthesia, 304
Ishak, S., *see* Goldberg, M.
Ishikawa, T., *see* Sakabe, T.
Ishizaki, T., *see* Inoue, R.
Ivey, T. D., *see* Bashein, G.

J

Jackson, S. H., Wuerflein, R. D., Gerbo, B.: An Alternate Method to Manage Patients with Protamine Hypersensitivity for Car-diac Surgery, 120
Jacobsen, E., *see* Berthelsen, P.
James, F. M., III, *see* Hood, D. D.
James, M. F. M.: Reply, 338
Jansen, E. C., Wachowiak-Andersen, G., Münster-Swendsen, J., Valentin, N.: Pos-tural Stability after Oral Premedication with Diazepam, 557
Jansson, L., *see* Jonmarker, C.
Jensen, N. H., *see* Viby-Mogensen, J.
Johnson, J. V., *see* Theisen, G. J.
Johnson, M. D., *see* Malinow, A. M.; *also see* Naulty, J. S.
Johnson, P. W., *see* Bashein, G.
Jones, E. W., *see* Lumb, W. V.
Jones, J. G., *see* Catley, D. M.
Jonmarker, C., Castor, R., Drefeldt, B., Wer-ner, O.: An Analyzer for In-line Measure-ment of Expiratory Sulfur Hexafluoride Concentration, 84
Jonmarker, C., Jansson, L., Jonson, B., Lar-son, A., Werner, O.: Measurement of Functional Residual Capacity by Sulfur Hexafluoride Washout, 89
Jonson, B., *see* Jonmarker, C.

- Jopling, M. W., *see* Levelle, J. P.
Jordan, C., *see* Catley, D. M.
Joseph, N. J., *see* Salem, M. R.

K

- Kamaya, H., Krishna, P. R.: New Endotracheal Tube (Univent Tube®) for Selective Blockade of One Lung, 342
Kampine, J. P., *see* Ebert, T. J.
Kappa, J. R., *see* Ellison, N.
Kassell, N. F., *see* Warner, D. S.
Katz, J., Mayhew, J. F.: Air Embolism in the Achondroplastic Dwarf, 205
Katz, J., *see* Bourke, D. L.
Katz, J. A., Marks, J. D.: Inspiratory Work with and without Continuous Positive Airway Pressure in Patients with Acute Respiratory Failure, 598
Kay, B., *see* Beatty, P.
Kemp, J. A., *see* Sarnat, A. J.
Kendig, J. J.: Correctly Identifying the Sexes: Use and Abuse of the Word Man, 732
Kennedy, W. F., Jr., *see* Bashein, G.
Keykhah, M. M., Smith, D. S., Carlsson, C., Safo, V., Englebach, I., Harp, J. R.: Influence of Sufentanil on Cerebral Metabolism and Circulation in the Rat, 274
Kim, Y. D., *see* Shin, Y. K.
King, H.-K.: Translaryngeal Guided Intubation Using a Sheath Stylet, 567
Kirby, R. R.: Continuous Positive Airway Pressure: To Breathe or Not to Breathe, 578
Kirkpatrick, A. F., *see* Haynes, D. H.
Knopes, K. D., *see* McIntyre, R. W.
Knudsen, A. K., *see* Theisen, G. J.
Kohchi, T., *see* Nishino, T.
Kopman, A. F.: The Relationship of Evoked Electromyographic and Mechanical Responses following Atracurium in Humans, 208
Korman, B., Ritchie, I. M.: Chemistry of Halothane-Enflurane Mixtures Applied to Anesthesia, 152
Koshakji, R. P., *see* Reilly, C. S.
Kotrlý, K. J., *see* Ebert, T. J.
Krishna, P. R., *see* Kamaya, H.
Kushida, K., *see* Inoue, R.
Kwentus, J. A., *see* Ellis, R.

L

- Labaille, T., Clergue, F., Samii, K., Ecoffey, C., Berdeaux, A.: Ventilatory Response to CO₂ Following Intravenous and Epidural Lidocaine, 179
Labaille, T., *see* Negre, I.
Lafay, M., *see* Chauvin, M.
Lanier, W. L., Milde, J. H., Michenfelder, J. D.: The Cerebral Effects of Pancuronium and Atracurium in Halothane-anesthetized Dogs, 589
Lanier, W. L., Weeks, D. B.: Portable Semi-closed Circuit for Prolonged Oxygen Administration in Aircraft, 116

- Lanken, P. N., *see* Albelda, S. M.
Lappas, D. G., *see* Latson, T. W.
Larson, D. M., *see* Hodes, J. E.
Larson, L. O., Wilkins, R. G.: Anesthesia and the Lesch-Nyhan Syndrome, 197
Larsson, A., *see* Jonmarker, C.
Latson, T. W., Lappas, D. G.: Use of a Pacing Catheter to Control Heart Rate in a Patient with Aortic Insufficiency and Coronary Artery Disease, 712
Lauven, P. M., Schilden, H., Stoeckel, H., Greenblatt, D. J.: The Effects of Benzodiazepine Antagonist Ro 15-1788 in the Presence of Stable Concentrations of Midazolam, 61
Lecky, J. H., *see* Mazze, R. I.
Lee, M. B., Adragna, M. G., Edwards, L.: The Use of a Platelet Nucleotide Assay as a Possible Diagnostic Test for Malignant Hyperthermia, 311
Lee, T.-Y., *see* Tsai, S.-K.
Lee, V. C., *see* Shin, Y. K.
Lees, D. E.: Computerized Anesthesia Records May Have Drawbacks, 236
Lees, D. E., *see* Ibarra, E.
Lehane, J. R., *see* Catley, D. M.
Leiman, B. C., *see* Uzon, C. E.
Leith, D. E., *see* Slutsky, A. S.
Lesznowski, W., *see* Eintrei, C.
Levelle, J. P., Jopling, M. W., Sklar, G. S.: Perioperative Hypothyroidism: An Unusual Postanesthetic Diagnosis, 195
Levelle, J. P., Martinez, O. A.: Airway Obstruction after Bilateral Carotid Endarterectomy, 220
Levinson, G., *see* Hughes, S. C.
Lind, L., *see* Malinow, A. M.
Lipton, J. M., *see* Murphy, M. T.
Liston, S. L.: Ear Wax and the Otolaryngologist, 566
LoCascio, J. A., *see* Follette, J. W.
Lorenz, W., Doenicke, A.: Anaphylactoid Reactions and Histamine Release by Barbiturate Induction Agents: Clinical Relevance and Pathomechanisms, 351
Loubser, P. G.: Comparing Direct and Indirect Arterial Blood Pressures, 566
Loughran, P., *see* Murphy, M. T.
Lumb, W. V., Jones, E. W.: Veterinary Anesthesia, Second Edition, 242

M

- Ma, C., *see* Bloor, B. C.
MacEvoy, B., *see* Bashein, G.
Mackenzie, C. F., *see* Matjasko, J.
MacKenzie, R. A., *see* Glenski, J. A.
Maekawa, T., *see* Sakabe, T.
Malinow, A. M., Butterworth, J. F., IV, Johnson, M. D., Safon, L., Rein, M., Hartwell, B., Datta, S., Lind, L., Ostheimer, G. W.: Peripartum Cardiomyopathy Presenting at Cesarean Delivery, 545
Maltry, D. E., *see* Dunn, C. M.
Manchikanti, L., Grow, J. B., Collier, J. A., Hadley, C. H., Hohlbein, L. J.: Bicitra®

- (Sodium Citrate) and Metoclopramide in Outpatient Anesthesia for Prophylaxis against Aspiration Pneumonitis, 378
Mansour, M. A., *see* Hansbrough, J. F.
Maragos, N. E., *see* Glenski, J. A.
Marcy, J. H., *see* Riley, R. H.
Mark, J. B. D., *see* Brodsky, J. B.
Marks, J. D., *see* Katz, J. A.
Marr, A. T., *see* Seltzer, J. L.
Marrone, B., *see* Priano, L. L.
Marshall, B. E., *see* Chen, L.
Marshall, C., *see* Chen, L.
Martinez, O. A., *see* Levelle, J. P.
Matjasko, J., Petrozza, P., Mackenzie, C. F.: Sensitivity of End-tidal Nitrogen in Venous Air Embolism Detection in Dogs, 418
Matsuki, A., *see* Yamashita, M.
Matsumoto, I., *see* Mitaka, C.
Matsuura, M., *see* Hibino, H.
Matteo, R. S., *see* Ornstein, E.
Maury, M., *see* Ecoffey, C.
Mayhew, J. F., *see* Katz, J.
Maze, M., Hayward, E., Jr., Gaba, D. M.: Alpha-adrenergic Blockade Raises Epinephrine-Arrhythmia Threshold in Halothane-anesthetized Dogs in a Dose-dependent Fashion, 611
Maze, M., *see* Metz, S.
Mazurek, A., *see* Rita, L.
Mazze, R. I.: Fertility, Reproduction, and Postnatal Survival in Mice Chronically Exposed to Isoflurane, 663
Mazze, R. I., Lecky, J. H.: Reply, 463
McChristian, J. W., *see* Rupp, S. M.
McCleary, U., Jr.: Potential Effects of an Unknown Gas on Mass Spectrometer Readings, 724
McGarrigle, R. E.: General Anesthesia without O₂ Analyzer—A Substandard Practice, 116
McGovern, B.: Hypokalemia and Cardiac Arrhythmias, 127
McIntyre, R. W., Knopes, K. D., Ossey, K. D.: The Relationship between Sympathoadrenal Activity and Extrarenal Potassium Regulation, 230
McKenna, J., *see* Goldberg, M.
McKiernan, E. P.: An Even Simpler Way to Determine Drug Infusion Rates, 459
Meijler, F. L., *see* Ruigrok, T. J. C.
Menk, E. J., *see* Middaugh, R. E.
Menkhaus, P. G., *see* Alvis, J. M.
Metz, S., Maze, M.: Antiarrhythmic Effect of Verapamil May Be Independent of Calcium Channel Blockade, 233
Michenfelder, J. D., *see* Lanier, W. L.; *also see* Milde, L. N.
Middaugh, R. E., Menk, E. J., Reynolds, W. J., Bauman, J. M., Cawthon, M. A., Hartshorne, M. F.: Epidural Block Using Large Volumes of Local Anesthetic Solution for Intercostal Nerve Block, 214
Milde, J. H., *see* Lanier, W. L.; *also see* Milde, L. N.
Milde, L. N., Milde, J. H., Michenfelder, J. D.: Cerebral Functional, Metabolic, and

Hemodynamic Effects of Etomidate in Dogs, 371

Miletich, D. J., *see* Newman, L. M.

Miller, C. F., *see* Harris, A. P.

Miller, F. L., *see* Chen, L.

Miller, R. D., *see* Rupp, S. M.; *also see* Shi, W.-Z.

Mitaka, C., Tsunoda, Y., Hikawa, Y., Sakahira, K., Matsumoto, I.: Anesthetic Management of Congenital Insensitivity to Pain with Anhydrosis, 328

Mok, M. S., *see* Tsai, S.-K.

Montebault, C., *see* Chauvin, M.

Moon, R. E., Clements, F. M.: Accidental Epidural Overdose of Hydromorphone, 238

Moorthy, S. S., Dierdorf, S. F.: An Unusual Difficulty in Fiberoptic Intubation, 229

Moorthy, S. S., Haselby, K. A., Stein, K. D.: Airway Obstruction with Esophageal Monitors in a Patient with Double Aortic Arch, 465

Morady, F., *see* Shapiro, W. A.

Mori, K., *see* Oshima, E.; *also see* Ueda, W.

Morishima, H. O., Pedersen, H., Finster, M., Hiraoka, H., Tsuji, A., Feldman, H. S., Arthur, G. R., Covino, B. G.: Bupivacaine Toxicity in Pregnant and Nonpregnant Ewes, 134

Moriwaki, K. M., *see* Oka, Y.

Mote, M. A., *see* Bready, L. L.

Motin, J., *see* Viale, J. P.

Münster-Swendsen, J., *see* Jansen, E. C.

Murphy, M. T., Lipton, J. M., Loughran, P., Giesecke, A. H., Jr.: Postanesthetic Shivering in Primates: Inhibition by Peripheral Heating and by Taurine, 161

Mutch, W. A. C., *see* Thomson, I. R.

N

Naulty, J. S., Datta, S., Ostheimer, G. W., Johnson, M. D., Burger, G. A.: Epidural Fentanyl for Postcesarean Delivery Pain Management, 694

Naulty, J. S., *see* Garfield, J. M.

Navar, L. G., *see* Gelman, S.

Negre, I., Labaille, T., Samii, K., Noviant, Y.: Ventilatory Response to CO₂ Following Axillary Blockade with Bupivacaine, 401

Newman, L. M., Hoffman, W. E., Miletich, D. J., Albrecht, R. F., Prekezes, C., Anderson, S.: Regional Blood Flow and Cerebral Metabolic Changes during Alcohol Withdrawal and Following Midazolam Therapy, 395

Niemann, K. M. W., *see* Ebert, J. P.

Nishimura, R. A., *see* Cucchiara, R. F.

Nishino, T., Kohchi, T., Yonezawa, T., Honda, Y.: Responses of Recurrent Laryngeal, Hypoglossal, and Phrenic Nerves to Increasing Depths of Anesthesia with Halothane or Enflurane in Vagotomized Cats, 404

Norris, T. J., Baysinger, C. L.: Heart Rate and Blood Pressure Response to Laryn-

gосcopy: The Influence of Laryngoscopic Technique, 560

Noviant, Y., *see* Negre, I.

Nugent, M., *see* Cucchiara, R. F.

O

O'Hara, D. A., Fragen, R. J., Shanks, C. A.: The Effects of Age on the Dose-Response Curves for Vecuronium in Adults, 542

Oka, Y., Moriwaki, K. M., Hong, Y., Chuculate, C., Strom, J., Andrews, I. C., Frater, R. W. M.: Detection of Air Emboli in the Left Heart by M-Mode Transesophageal Echocardiography Following Cardiopulmonary Bypass, 109

Okumura, F., *see* Takaki, O.

Olewine, S., *see* Bloor, B. C.

Ørding, H., *see* Viby-Mogensen, J.

Ornstein, E., Matteo, R. S., Young, W. L., Diaz, J.: Resistance to Metocurine-induced Neuromuscular Blockade in Patients Receiving Phenytoin, 294

Orr, M. D., *see* Bready, L. L.

Oshima, E., Urabe, N., Shingu, K., Mori, K.: Anticonvulsant Actions of Enflurane on Epilepsy Models in Cats, 29

Ossey, K. D., *see* McIntyre, R. W.

Ostheimer, G. W., *see* Malinow, A. M.; *also see* Naulty, J. S.

Ovassapian, A.: Failure to Withdraw Flexible Fiberoptic Laryngoscope after Nasotracheal Intubation, 124

Oyama, T., *see* Yamashita, M.

P

Paiva, M., *see* Engel, L.

Panacek, E.: Unexpected Wedge Pressure (at less than 35 cm) May Be Artificial, 731

Paulissian, R., *see* Salem, M. R.

Pattison, C. Z., *see* Ebert, J. P.

Pedersen, H., *see* Morishima, H. O.

Peng, A. T. C., Behar, S., Blancato, L. S.: Reduction of Postlumbar Puncture Backache by the Use of Field Block Anesthesia prior to Lumbar Puncture, 227

Perin, G., *see* Fisher, D. M.

Perry, D. F., *see* Weldon, S. T.

Perry, D. S., *see* Wiggum, D. C.

Petrozza, P., *see* Matjasko, J.

Pither, C. E., Hartrick, C. J., Raj, P. P.: Heel Sores in Association with Prolonged Epidural Analgesia, 459

Plumer, M. H., *see* Ready, L. B.

Poole-Wilson, P. A., *see* Ruigrok, T. J. C.

Post, C., Freedman, J., Ramsay, C.-H., Bonnevier, A.: Redistribution of Lidocaine and Bupivacaine after Intrathecal Injection in Mice, 410

Post, C., *see* Gustafsson, L. L.

Prekezes, C., *see* Newman, L. M.

Premel-Cabic, A., *see* Turcant, A.

Priano, L. L., Marrone, B.: Effect of Halothane on Renal Hemodynamics during

Normovolemia and Acute Hemorrhagic Hypovolemia, 357

Prytz, S., *see* Berthelsen, P.

R

Rabins, S., *see* Rita, L.

Rah, K. H., *see* Aghdami, A.

Raj, P. P., *see* Pither, C. E.

Ramsay, C. H., *see* Gustafsson, L. L.; *also see* Post, C.

Ramzan, I. M.: Pharmacokinetic Basis for the Dose-dependent Decline in the Neuromuscular Blocking Effect of Gallamine, 226

Rapaport, S. I., *see* Hodes, J. E.

Ready, L. B., Plumer, M. H., Haschke, R. H., Austin, E., Sumi, S. M.: Neurotoxicity of Intrathecal Local Anesthetics in Rabbits, 364

Reilly, C. S., Wood, A. J. J., Koshakji, R. P., Wood, M.: The Effect of Halothane on Drug Disposition: Contribution of Changes in Intrinsic Drug Metabolizing Capacity and Hepatic Blood Flow, 70

Rein, M., *see* Malinow, A. M.

Reves, J. G., *see* Adams, P.

Reves, J. G., *see* Alvis, J. M.

Reynolds, W. J., *see* Baumgarten, R. K.; *also see* Middaugh, R. E.

Rho, D. S., *see* Walsh, J. J.

Riddle, R. T.: Reply, 336

Riley, R. H., Marcy, J. H.: Unsuspected Endobronchial Intubation—Detection by Continuous Mass Spectrometry, 203

Rita, L., Seleny, F. L., Mazurek, A., Rabins, S.: Intramuscular Midazolam for Pediatric Preanesthetic Sedation: A Double-blind Controlled Study with Morphine, 528

Ritchie, I. M., *see* Korman, B.

Ritter, D. E., *see* Seltzer, J. L.

Ritter, J., *see* Bloor, B. C.

Robertson, H. T., *see* Bashein, G.

Robinson, S., *see* Fisher, D. M.

Rocco, J., *see* Garfield, J. M.

Rogers, M. C.: Anesthesiology—The Road Not Yet Taken, 575

Rogers, M. C., *see* Harris, A. P.

Roizen, M. F., *see* Shapiro, W. A.

Rollman, J. E., Dickson, C. M.: Anesthetic Management of a Patient with Hypokalemic Familial Periodic Paralysis for Coronary Artery Bypass Surgery, 526

Rosen, A. S., Rosenzweig, W.: Reply, 237

Rosenberg, H., *see* Fletcher, J. E.

Rosenfeld, G. I., *see* Harris, A. P.

Rosenstein, J., *see* Bristow, A.

Rosenzweig, W., *see* Rosen, A. S.

Rouby, J. J., Simonneau, G., Benhamou, D., Sartene, R., Sardnal, F., Deriaz, H., Duroux, P., Viars, P.: Factors Influencing Pulmonary Volumes and CO₂ Elimination during High-frequency Jet Ventilation, 473

Royston, D., *see* Catley, D. M.

Ruigrok, T. J. C., Slade, A. M., Van der Meer, P., de Moes, D., Sinclair, D. M., Poole-Wilson, P. A., Meijler, F. L.: Different Effects

of Thiopental in Severe Hypoxia, Total Ischemia, and Low-flow Ischemia in Rat Heart Muscle, 172
Rupp, S. M., McChristian, J. W., Miller, R. D.: Neuromuscular Effects of Atracurium during Halothane-Nitrous Oxide and Enflurane-Nitrous Oxide Anesthesia in Humans, 16

S

Safo, Y., *see* Keykhah, M. M.
Safon, L., *see* Malinow, A. M.
Saint-Maurice, C., *see* Ecoffey, C.
Sakabe, T., Tsutsui, T., Maekawa, T., Ishikawa, T., Takeshita, H.: Local Cerebral Glucose Utilization during Nitrous Oxide and Pentobarbital Anesthesia in Rats, 262
Sakahira, K., *see* Mitaka, C.
Salem, M. R., Joseph, N. J., Heyman, H. J., Belani, B., Paulsian, R., Ferrara, T. P.: Cricoid Compression is Effective in Obliterating the Esophageal Lumen in the Presence of a Nasogastric Tube, 443
Samii, K., *see* Labaille, T.; *also see* Negre, I.
San Juan, A. C., Jr.: A Portable C-Pram® Circuit, 725
Sardnal, F., *see* Rouby, J. J.
Sarnat, A. J., Kemp, J. A.: Monitoring Ventilation during Computed Tomography Scan, 729
Sartene, R., *see* Rouby, J. J.
Satwicz, P. R., *see* DiNardo, J. A.
Saunders, V. W., Jr., *see* Chen, J.-W.
Schieber, R. A., Stiller, R. L., Cook, D. R.: Cardiovascular and Pharmacodynamic Effects of High-dose Fentanyl in Newborn Piglets, 166
Schreiber, P. J.: Reply, 232
Schwartz, J. J., Bian Rosa, J. J.: Medical Alert—Difficult Intubation, 343
Schwilden, H., *see* Lauven, P. M.
Sciuto, A. M., *see* Shayevitz, J. R.
Seleny, F. L., *see* Rita, L.
Seltzer, J. L., Ritter, D. E., Starsnic, M. A., Marr, A. T.: The Hemodynamic Response to Traction on the Abdominal Mesentery, 96
Seward, J. B., *see* Cucchiara, R. F.
Shamsaskin, R. G., *see* Chen, J.-W.
Shanks, C. A., *see* O'Hara, D. A.
Shapira, Y., Gertel, M.: Intravenous Nitroglycerin Dosage to Prevent Intraoperative Myocardial Ischemia during Fentanyl-Pancuronium Anesthesia, 121
Shapiro, W. A., Roizen, M. F., Singleton, M. A., Morady, F., Bainton, C. R., Gaynor, R. L.: Intraoperative Pacemaker Complications, 319
Shayevitz, J. R., Traystman, R. J., Adkinson, N. F., Sciuto, A. M., Gurtner, G. H.: Inhalation Anesthetics Augment Oxidant-induced Pulmonary Vasoconstriction: Evidence for a Membrane Effect, 624

Shi, W.-Z., Fahey, M. R., Fisher, D. M., Miller, R. D., Canfell, C., Eger, E. I., II: Laudanosine (A Metabolite of Atracurium) Increases the Minimum Alveolar Concentration of Halothane in Rabbits, 584
Shimazu, T., *see* Terai, C.
Shin, Y. K., Lee, V. C., Kim, Y. D.: Unusual Cause of Weakness of the Lower Extremity Following Vaginal Delivery under Epidural Analgesia: Iliopsoas Muscle Strain, 531
Shingu, K., *see* Oshima, E.
Shnider, S. M., *see* Hughes, S. C.
Shulman, M. S., *see* Brodsky, J. B.
Simonneau, G., *see* Rouby, J. J.
Sinclair, D. M., *see* Ruigrok, T. J. C.
Singleton, M. A., *see* Shapiro, W. A.
Six, P., *see* Turcant, A.
Sklar, G. S., *see* Levelle, J. P.
Skovgaard, L. T., *see* Viby-Mogensen, J.
Slade, A. M., *see* Ruigrok, T. J. C.
Slater, E. M., *see* Downey, L.
Slutsky, A. S., Watson, J., Leith, D. E., Brown, R.: Tracheal Insufflation of O₂ (TRIO) at Low Flow Rates Sustains Life for Several Hours, 278
Smith, D. S., *see* Keykhah, M. M.
Smith, G. B., *see* Hirsch, N. P.
Soncrant, T. T., *see* Hodes, J. E.
Soper, L. E., *see* Vitez, T. S.
Soper, P., *see* Vitez, T. S.
Sosis, M.: A Caution on Vecuronium Priming, 460
Sosis, M., Cooper, P. S., Herr, G.: The Diagnosis of "Junctional Rhythms" with Halogenated Anesthetics, 233
Southorn, P. A., *see* Glenski, J. A.
Spain, J. A., *see* Alvis, J. M.
Spitz, L., *see* Dorman, F.
Standaert, F. G.: Magic Bullets, Science, and Medicine, 577
Stanton-Hicks, M., *see* Arndt, J. O.
Stanton-Hicks, M. d'A., *see* Stevens, R. A.
Starsnic, M. A., *see* Seltzer, J. L.
Stein, K. D., *see* Moorthy, S. S.
Stevens, R. A., Stanton-Hicks, M. d'A.: Subdural Injection of Local Anesthetic: A Complication of Epidural Anesthesia, 323
Steward, D. J.: Fixation of Reinforced Silicone Tracheal Tubes, 334
Steward, D. J.: Is There a Risk of General Anesthesia Triggering SIDS? Possibly Not!, 326
Stiller, R. L., *see* Schieber, R. A.
Stock, J. G. L., Strunin, L.: Unexplained Hepatitis Following Halothane, 424
Stoeckel, H., *see* Lauven, P. M.
Strom, J., *see* Oka, Y.
Strunin, L., *see* Stock, J. G. L.
Stühmeier, K.-D., *see* Arndt, J. O.
Suganuma, T., *see* Inoue, R.
Sugimoto, H., *see* Terai, C.
Sugimoto, T., *see* Terai, C.
Sumi, S. M., *see* Ready, L. B.
Sumner, E., *see* Dorman, F.
Swan, M., *see* Brodsky, J. B.

T

Takaki, O., Okumura, F.: Application and Limitation of Somatosensory Evoked Potential Monitoring during Thoracic Aortic Aneurysm Surgery: A Case Report, 700
Takeshima, R., Dohi, S.: Circulatory Responses to Baroreflexes, Valsalva Maneuver, Coughing, Swallowing, and Nasal Stimulation during Acute Cardiac Sympathectomy by Epidural Blockade in Awake Humans, 500
Takeshita, H., *see* Sakabe, T.
Tamai, S., *see* Hatano, Y.
Tang, R. A., *see* Abouleish, E.
Taniguchi, K., *see* Yamashita, M.
Tanioka, F., *see* Yamashita, M.
Taylor, E., *see* Albelda, S. M.
Taylor, P.: Are Neuromuscular Blocking Agents More Efficacious in Pairs?, 1
Terai, C., Uenishi, M., Sugimoto, H., Shimazu, T., Yoshioka, T., Sugimoto, T.: Transesophageal Echocardiographic Dimensional Analysis of Four Cardiac Chambers during Positive End-expiratory Pressure, 640
Theisen, G. J., Gravenstein, N., Knudsen, A. K., Johnson, J. V., Yost, R. A.: More on Mass Spectrometers and Aerosol Propellants, 568
Thomas, S. J.: Manual of Cardiac Anesthesia, 241
Thomson, I. R., Mutch, W. A. C., Culligan, J. D.: Reply, 122
Thornton, C., *see* Catley, D. M.
Todd, M. M., *see* Drummond, J. C.
Tomono, Y., *see* Inoue, R.
Tonneson, A., *see* Bourke, D. L.
Topulos, G. P., Butler, J. P.: Correction of a Recurrent Error, 563
Traystman, R. J., *see* Shayevitz, J. R.
Tsai, S.-K., Lee, T.-Y., Mok, M. S.: Gas Embolism Produced by Hydrogen Peroxide Irrigation of an Anal Fistula during Anesthesia, 316
Tsuiji, A., *see* Morishima, H. O.
Tsunoda, Y., *see* Mitaka, C.
Tsutsui, T., *see* Sakabe, T.
Turcant, A., Delhumeau, A., Premel-Cabic, A., Granry, J.-C., Cottineau, C., Six, P., Allain, P.: Thiopental Pharmacokinetics under Conditions of Long-term Infusion, 50

U

U, H. S., *see* Drummond, J. C.
Ueda, W., Hirakawa, M., Mori, K.: Acceleration of Epinephrine Absorption by Lidocaine, 717
Uenishi, M., *see* Terai, C.
Urabe, N., *see* Oshima, E.
Uzoni, C. E., Leiman, B. C.: Possible Pharmacologic Trespass in Pheochromocytoma Patients, 337

V

- Valentin, N., *see* Jansen, E. C.
 Van der Meer, P., *see* Ruigrok, T. J. C.
 Van Etten, A., *see* Bloor, B. C.
 Vatahsky, E., *see* Beilin, B.
 Viale, J. P., Annat, G., Bertrand, O., Godard, J., Motin, J.: Additional Inspiratory Work in Intubated Patients Breathing with Continuous Positive Airway Pressure Systems, 536
 Viars, P., *see* Chauvin, M.; *also see* Rouby, J. J.
 Viby-Mogensen, J., Jensen, N. H., Engbaek, J., Ørding, H., Skovgaard, L. T., Chraemmer-Jørgensen, B.: Tactile and Visual Evaluation of the Response to Train-of-four Nerve Stimulation, 440
 Vitez, T. S.: Intraoperative Coronary Spasm in a Young Woman, 567
 Vitez, T. S., Soper, L. E., Wong, K. C., Soper, P.: Chronic Hypokalemia and Intraoperative Dysrhythmias, 130
 Vucins, E. J., *see* Ebert, T. J.

W

- Wachowiak-Andersen, G., *see* Jansen, E. C.
 Wagner, D. L., Gammage, G. W., Wong, M. L.: Tracheal Rupture following the Insertion of a Disposable Double-lumen Endotracheal Tube, 698
 Walsh, J. J., Rho, D. S.: A Speaking Endotracheal Tube, 703
 Ward, M. G., *see* Hughes, S. C.
 Warner, D. S., Boarini, D. J., Kassell, N. F.:

- Cerebrovascular Adaptation to Prolonged Halothane Anesthesia Is Not Related to Cerebrospinal Fluid pH, 243
 Watson, J., *see* Slutsky, A. S.
 Waud, B. E., Waud, D. R.: Interaction among Agents that Block End-plate Depolarization Competitively, 4
 Waud, D. R., *see* Waud, B. E.
 Weber, S.: Caudal Anesthesia Complicated by Intraosseous Injection in a Patient with Ankylosing Spondylitis, 716
 Weeks, D. B., *see* Lanier, W. L.
 Weinstock, M., *see* Beilin, B.
 Weiskopf, R. B., Bogetz, M. S.: Cardiovascular Actions of Nitrous Oxide or Halothane in Hypovolemic Swine, 509
 Weldon, S. T., Perry, D. F., Cork, R. C., Gandolfi, A. J.: Detection of Picogram Levels of Sufentanil by Capillary Gas Chromatography, 684
 Weldon, S. T., *see* Wiggum, D. C.
 Werner, O., *see* Jonmarker, C.
 Whitwam, J. G., *see* Askitopoulou, H.
 Wiggum, D. C., Cork, R. C., Weldon, S. T., Gandolfi, A. J., Perry, D. S.: Postoperative Respiratory Depression and Elevated Sufentanil Levels in a Patient with Chronic Renal Failure, 708
 Wilkins, R. G., *see* Larson, L. O.
 Willer, J.-C., Bergeret, S., Gaudy, J.-H.: Epidural Morphine Strongly Depresses Nociceptive Flexion Reflexes in Patients with Postoperative Pain, 675
 Willer, J.-C., Bergeret, S., Gaudy, J.-H., Dauthier, C.: Failure of Naloxone to Reverse

- the Nitrous Oxide-Induced Depression of a Brain Stem Reflex: An Electrophysiologic and Double-blind study in Humans, 467
 Williams, J. J., *see* Chen, L.
 Williams, J. P., Bourke, D. L.: Effects of Succinylcholine on Respiratory and Nonrespiratory Muscle Strength in Humans, 299
 Wollman, H., *see* Albelda, S. M.
 Wong, K. C., *see* Vitez, T. S.
 Wong, M. L., *see* Wagner, D. L.
 Wood, A. J. J., *see* Reilly, C. S.
 Wood, M., *see* Reilly, C. S.
 Wright, A. J., *see* Aldrete, J. A.
 Wright, R. G., *see* Hughes, S. C.
 Wuerflein, R. D., *see* Jackson, S. H.

Y

- Yamashita, M., Tanioka, F., Taniguchi, K., Matsuki, A., Oyama, T.: Anesthetic Considerations in Cri Du Chat Syndrome: A Report of Three Cases, 201
 Yonezawa, T., *see* Nishino, T.
 Yoshioka, T., *see* Terai, C.
 Yost, R. A., *see* Theisen, G. J.
 Young, W. L., *see* Ornstein, E.

Z

- Zapata-Sirvent, R. L., *see* Hansbrough, J. F.
 Zeitlin, G. L., *see* Downey, L.
 Zucker, J. R., Amory, D. W.: Platelet Alpha-adrenergic Receptors Are Not Down-regulated during Cardiopulmonary Bypass, 449

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

Date of Filing—October 1, 1985

Title of Publication—Anesthesiology

Publication No. 025600

Frequency of Issue—13 Issues per year

Subscription Price—\$30.00

Location of Known Office of Publication—2350 Virginia Ave., Hagerstown, MD 21740

Location of the Headquarters of General Business Offices of the Publishers—East Washington Square, Philadelphia, PA 19105

Publisher—American Society of Anesthesiologists, Inc., East Washington Square, Philadelphia, PA 19105

Editor—John D. Michenfelder, M.D., Department of Anesthesiology, Mayo Clinic, Rochester, MN 55905

Managing Editor—Deborah G. Huey, East Washington Square, Philadelphia, PA 19105

Owner—American Society of Anesthesiologists, Inc., 515 Busse Highway, Park Ridge, IL 60068

Known Bondholders, Mortgagees and other Security Holders Owning or Holding 1 Percent or more of total amount of bonds, mortgages or other securities—None

The Purpose, Function, and Nonprofit Status of this organization and the exempt status for Federal income tax purposes—Has not changed during preceding 12 months

Average No.
Copies Each Issue
during Preceding
12 MonthsActual No. of
Copies of Single
Issues Published
Nearest to
Filing Date

A. Total no. copies printed (not press run)

35,415

35,000

B. Paid circulation

—

—

1. Sales through dealers and carriers, street vendors, and counter sales

—

—

2. Mail Subscription

31,822

32,500

C. Total paid circulation

31,822

32,500

D. Free distribution by mail, carrier or other means. Samples, complimentary, and other free copies

291

276

E. Total distribution (sum of C and D)

32,113

32,776

F. Copies not distributed

—

—

1. Office use, left over, unaccounted, spoiled after printing

3,302

2,224

2. Return from news agents

—

—

G. Total (sum of E & F—should equal not press run shown in A)

35,415

35,000

I certify that the statements made by me above are correct and complete.
Joseph W. Lippincott III, Associate Publisher

